

**New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003**

**New York State**

Site of Cancer	Incidence				Mortality										
	Males		Females		Males		Females								
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	47358.8	569.3	2.3		47318.4	426.9	1.7		18074.4	227.2	1.5		18697.8	161.7	1.0
Oral cavity and pharynx	1266.8	14.6	0.4		648.8	5.9	0.2		314.0	3.7	0.2		162.4	1.4	0.1
Esophagus	707.0	8.4	0.3		276.4	2.4	0.1		622.8	7.5	0.3		233.2	2.0	0.1
Stomach	1132.0	13.9	0.4		793.6	6.8	0.2		582.6	7.3	0.3		457.0	3.8	0.2
Colorectal	5562.0	68.4	0.8		5849.2	50.4	0.6		2000.2	25.5	0.5		2137.6	17.8	0.3
Colon excluding rectum	3890.4	48.4	0.7		4441.6	38.0	0.5		1676.0	21.4	0.5		1852.4	15.4	0.3
Rectum & rectosigmoid	1671.6	20.0	0.4		1407.6	12.4	0.3		324.2	4.0	0.2		285.2	2.4	0.1
Liver / intrahepatic bile duct	846.0	9.9	0.3		398.2	3.5	0.2		602.4	7.2	0.3		340.2	2.9	0.1
Pancreas	1157.0	14.2	0.4		1352.8	11.6	0.3		1004.4	12.5	0.3		1173.4	9.9	0.3
Larynx	658.0	7.7	0.3		188.6	1.7	0.1		222.0	2.7	0.2		61.2	0.5	0.1
Lung and bronchus	6857.4	83.3	0.9		6041.4	53.7	0.6		5210.0	64.2	0.8		4338.4	38.1	0.5
Melanoma of the skin	1201.2	14.2	0.4		943.2	8.8	0.3		257.0	3.1	0.2		180.6	1.6	0.1
Female breast					13803.6	127.3	1.0						3051.4	26.8	0.4
Cervix uteri					963.0	9.2	0.3						302.2	2.8	0.1
Corpus uterus and NOS					2965.2	27.2	0.4						547.0	4.8	0.2
Ovary					1619.4	14.8	0.3						1011.2	8.9	0.2
Prostate	14163.4	169.6	1.3						2034.8	28.1	0.6				
Testis	483.8	5.1	0.2						22.0	0.2	0.0				
Urinary bladder (incl. in situ)	3310.2	41.3	0.6		1288.8	11.2	0.3		607.8	8.1	0.3		299.0	2.4	0.1
Kidney and renal pelvis	1566.8	18.4	0.4		1000.2	9.0	0.3		409.4	5.0	0.2		268.2	2.3	0.1
Brain and other nervous system	712.4	8.1	0.3		652.2	6.1	0.2		394.8	4.6	0.2		334.2	3.0	0.1
Thyroid	424.8	4.7	0.2		1319.4	12.9	0.3		31.2	0.4	0.1		62.6	0.5	0.1
Hodgkin lymphoma	344.0	3.7	0.2		292.6	2.9	0.1		49.2	0.6	0.1		46.8	0.4	0.1
Non-Hodgkin lymphomas	2003.6	23.6	0.5		1869.8	16.8	0.3		745.8	9.2	0.3		693.8	5.9	0.2
Multiple myeloma	612.2	7.5	0.3		589.6	5.2	0.2		335.6	4.2	0.2		338.2	2.9	0.1
Leukemias	1358.4	16.5	0.4		1123.8	10.0	0.3		742.6	9.3	0.3		638.2	5.5	0.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003**

**New York City**

Site of Cancer	Males			Incidence			Females			Males			Mortality			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)			
All Invasive Malignant Tumors	16812.0	529.4	3.6	17548.8	390.6	2.6	6326.6	208.8	2.3	6833.8	148.0	1.6						
Oral cavity and pharynx	502.4	15.0	0.6	248.8	5.6	0.3	132.6	4.1	0.3	59.6	1.3	0.1						
Esophagus	245.2	7.7	0.4	116.2	2.5	0.2	200.0	6.4	0.4	87.0	1.9	0.2						
Stomach	521.6	16.9	0.7	420.0	9.0	0.4	276.2	9.1	0.5	238.6	5.1	0.3						
Colorectal	2024.8	65.8	1.3	2228.4	48.2	0.9	746.8	25.1	0.8	828.0	17.5	0.5						
Colon excluding rectum	1432.8	47.1	1.1	1693.0	36.5	0.8	644.0	21.7	0.8	730.6	15.4	0.5						
Rectum & rectosigmoid	592.0	18.6	0.7	535.4	11.8	0.4	102.8	3.3	0.3	97.4	2.1	0.2						
Liver / intrahepatic bile duct	457.6	13.8	0.6	208.4	4.6	0.3	304.8	9.5	0.5	168.0	3.6	0.2						
Pancreas	432.4	14.1	0.6	532.4	11.4	0.4	352.6	11.6	0.5	437.0	9.3	0.4						
Larynx	251.4	7.8	0.4	75.6	1.7	0.2	97.2	3.1	0.3	26.6	0.6	0.1						
Lung and bronchus	2227.6	71.5	1.3	1922.0	42.4	0.9	1673.2	54.4	1.2	1373.6	30.0	0.7						
Melanoma of the skin	303.0	9.4	0.5	272.4	6.0	0.3	64.8	2.1	0.2	55.4	1.2	0.1						
Female breast				5036.8	114.1	1.4				1204.2	26.4	0.7						
Cervix uteri				488.6	11.2	0.4				155.0	3.5	0.2						
Corpus uterus and NOS				1138.0	25.6	0.7				238.4	5.2	0.3						
Ovary				599.0	13.5	0.5				358.4	7.9	0.4						
Prostate	5094.6	161.5	2.0				793.6	28.7	0.9									
Testis	158.2	3.8	0.3				6.8	0.2	0.1									
Urinary bladder (incl. in situ)	938.6	31.4	0.9	406.0	8.7	0.4	187.8	6.6	0.4	103.4	2.1	0.2						
Kidney and renal pelvis	553.2	17.0	0.6	360.6	8.0	0.4	131.8	4.2	0.3	82.6	1.8	0.2						
Brain and other nervous system	244.6	7.0	0.4	242.6	5.5	0.3	122.6	3.7	0.3	108.0	2.4	0.2						
Thyroid	151.6	4.2	0.3	490.4	11.2	0.4	12.0	0.4	0.1	26.2	0.6	0.1						
Hodgkin lymphoma	133.8	3.5	0.3	121.4	2.8	0.2	20.8	0.6	0.1	16.0	0.4	0.1						
Non-Hodgkin lymphomas	755.6	22.7	0.7	690.2	15.3	0.5	264.4	8.4	0.5	239.8	5.2	0.3						
Multiple myeloma	224.4	7.2	0.4	264.2	5.8	0.3	105.0	3.5	0.3	138.4	3.0	0.2						
Leukemias	436.4	13.6	0.6	410.6	9.1	0.4	234.2	7.5	0.4	228.0	4.9	0.3						

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003**

**Bronx**

Site of Cancer	Males				Incidence				Males				Mortality			
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	2502.2	563.6	10.1		2632.0	388.2	6.7		984.8	232.1	6.6		1092.6	159.5	4.3	
Oral cavity and pharynx	82.2	17.3	1.7		35.8	5.3	0.8		23.8	5.3	1.0		9.4	1.4	0.4	
Esophagus	42.8	9.8	1.3		20.4	3.0	0.6		34.2	7.9	1.2		18.2	2.7	0.5	
Stomach	77.0	18.1	1.8		66.4	9.6	1.0		46.6	11.1	1.4		37.6	5.4	0.8	
Colorectal	285.2	67.1	3.5		346.4	50.6	2.4		110.4	26.5	2.2		141.0	20.2	1.5	
Colon excluding rectum	202.6	48.4	3.0		266.6	38.8	2.1		95.2	23.0	2.1		124.0	17.8	1.4	
Rectum & rectosigmoid	82.6	18.8	1.8		79.8	11.8	1.2		15.2	3.5	0.8		17.0	2.5	0.5	
Liver / intrahepatic bile duct	76.6	16.2	1.6		37.2	5.5	0.8		47.6	10.3	1.3		31.2	4.6	0.7	
Pancreas	59.6	13.7	1.6		83.6	12.0	1.2		45.4	10.6	1.4		65.8	9.4	1.0	
Larynx	45.0	9.8	1.3		18.0	2.7	0.6		21.2	4.7	0.9		6.6	1.0	0.3	
Lung and bronchus	320.4	73.5	3.7		277.4	41.2	2.2		253.8	59.3	3.3		211.0	31.2	1.9	
Melanoma of the skin	21.6	5.0	1.0		19.6	2.8	0.6		9.0	2.0	0.6		6.0	0.9	0.3	
Female breast					716.8	107.1	3.5						183.0	27.0	1.8	
Cervix uteri					95.4	14.2	1.3						35.2	5.3	0.8	
Corpus uterus and NOS					166.2	24.9	1.7						35.6	5.3	0.8	
Ovary					81.8	12.1	1.2						52.0	7.7	0.9	
Prostate	821.0	189.7	5.9						142.4	37.6	2.8					
Testis	16.2	2.5	0.6						1.4	0.2	0.2					
Urinary bladder (incl. in situ)	104.0	25.6	2.2		60.6	8.7	1.0		24.2	6.3	1.1		18.4	2.6	0.5	
Kidney and renal pelvis	71.0	15.3	1.6		56.6	8.4	1.0		21.6	4.9	0.9		11.8	1.7	0.4	
Brain and other nervous system	30.4	5.9	1.0		32.8	4.7	0.7		16.2	3.3	0.8		16.2	2.4	0.5	
Thyroid	16.8	3.3	0.7		64.4	9.4	1.0		1.6	0.4	0.3		4.0	0.6	0.3	
Hodgkin lymphoma	24.6	4.3	0.8		17.0	2.4	0.5		5.4	1.1	0.4		2.6	0.4	0.2	
Non-Hodgkin lymphomas	112.4	23.1	2.0		108.2	15.9	1.3		35.8	7.7	1.2		41.8	6.0	0.8	
Multiple myeloma	42.8	9.8	1.3		54.4	8.1	1.0		19.6	4.6	0.9		26.8	3.9	0.7	
Leukemias	69.4	15.0	1.6		70.0	10.0	1.1		34.8	7.8	1.2		33.6	4.8	0.7	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Bronx	Crotona - Tremont			Incidence						Mortality					
	Males			Females			Males			Females					
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)			
All Invasive Malignant Tumors	291.2	608.3	35.0	299.4	391.2	20.5	87.6	209.2	22.0	105.8	151.1	13.2			
Oral cavity and pharynx	12.8	22.7	6.0	4.8	5.5	2.2	2.6	5.9	3.5	0.4	0.4	0.6			
Esophagus	6.4	14.6	5.5	4.6	6.9	2.9	3.4	8.8	4.7	2.8	4.3	2.3			
Stomach	7.8	18.1	6.5	7.2	10.6	3.6	4.6	10.1	4.5	3.6	5.9	2.8			
Colorectal	26.8	61.7	11.8	38.6	56.0	8.1	9.4	27.7	9.0	14.2	21.2	5.1			
Colon excluding rectum	18.4	45.1	10.4	28.8	42.4	7.1	7.8	24.3	8.6	12.0	18.0	4.7			
Rectum & rectosigmoid	8.4	16.7	5.5	9.8	13.7	3.9	1.6	3.4	2.6	2.2	3.3	2.0			
Liver / intrahepatic bile duct	10.2	18.3	5.4	6.0	8.3	3.1	4.6	8.6	3.7	4.0	5.9	2.6			
Pancreas	6.8	12.2	4.4	5.8	9.2	3.4	2.8	5.5	3.1	4.8	7.5	3.0			
Larynx	5.2	10.4	4.5	2.6	3.5	2.0	3.0	6.7	3.9	1.0	1.5	1.4			
Lung and bronchus	37.6	81.6	12.9	28.8	40.5	6.8	23.4	51.1	10.0	20.0	29.0	5.8			
Melanoma of the skin	1.2	2.2	1.8	1.0	1.5	1.4	0.6	1.6	2.0	0.2	0.2	0.5			
Female breast				80.8	99.6	10.0				17.6	23.3	5.0			
Cervix uteri				15.0	16.9	3.9				3.4	3.7	1.8			
Corpus uterus and NOS				16.0	20.4	4.6				4.6	6.7	2.8			
Ovary				8.2	11.3	3.5				3.4	5.3	2.6			
Prostate	97.4	225.6	22.0				11.6	36.8	10.2						
Testis	2.4	3.1	1.9				0.4	0.4	0.6						
Urinary bladder (incl. in situ)	9.8	22.3	6.8	5.2	8.5	3.3	1.2	4.4	3.8	1.6	2.4	1.7			
Kidney and renal pelvis	6.2	10.8	4.0	7.4	8.7	2.9	1.4	2.5	2.1	1.0	1.4	1.3			
Brain and other nervous system	2.6	4.5	3.0	3.4	4.2	2.1	0.8	1.5	1.9	2.6	3.1	1.8			
Thyroid	2.6	4.5	3.0	9.2	10.0	3.0	0.2	0.9	1.7	0.6	0.7	0.8			
Hodgkin lymphoma	3.8	4.6	2.2	2.4	2.4	1.4	0.8	1.8	2.0	0.8	0.9	1.0			
Non-Hodgkin lymphomas	12.4	19.3	5.3	10.6	13.2	3.7	3.6	6.4	3.3	3.2	4.1	2.1			
Multiple myeloma	3.8	9.7	5.1	6.4	9.3	3.3	2.0	5.7	4.1	2.4	3.8	2.2			
Leukemias	8.2	15.0	5.8	8.0	9.1	3.0	2.6	5.5	3.4	3.2	4.4	2.2			

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Fordham - Bronx Park													
Bronx	Males			Incidence			Males			Mortality			
	Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	412.6	565.3	25.0		409.6	367.9	16.2	145.0	209.1	15.5	146.0	129.0	9.5
Oral cavity and pharynx	15.4	19.3	4.4		5.0	4.4	1.8	3.2	3.8	1.9	2.0	1.8	1.1
Esophagus	6.6	9.4	3.3		1.6	1.5	1.1	5.2	7.2	2.8	1.6	1.4	1.0
Stomach	14.8	21.4	5.0		11.2	9.9	2.6	6.6	9.6	3.3	4.4	3.7	1.6
Colorectal	41.0	58.9	8.2		51.0	45.9	5.7	12.8	19.4	4.8	20.8	18.7	3.7
Colon excluding rectum	26.4	38.8	6.7		39.4	35.2	5.0	10.6	16.1	4.4	18.6	16.5	3.4
Rectum & rectosigmoid	14.6	20.1	4.7		11.6	10.7	2.8	2.2	3.3	2.0	2.2	2.1	1.2
Liver / intrahepatic bile duct	12.0	15.3	4.0		6.0	5.3	1.9	7.2	9.1	3.0	4.2	3.6	1.6
Pancreas	10.6	14.8	4.1		11.8	10.1	2.6	7.6	11.1	3.6	8.8	7.4	2.2
Larynx	8.0	10.7	3.4		3.4	3.1	1.5	3.6	4.8	2.3	1.2	1.1	0.9
Lung and bronchus	52.2	74.6	9.2		42.0	39.0	5.3	37.4	54.5	7.9	27.2	24.5	4.2
Melanoma of the skin	2.2	3.0	1.8		3.0	2.6	1.4	1.6	2.1	1.5	0.4	0.3	0.4
Female breast					115.6	106.0	8.7				24.6	22.0	3.9
Cervix uteri					15.0	13.2	3.0				4.6	4.3	1.8
Corpus uterus and NOS					23.0	21.6	4.0				5.8	5.7	2.1
Ovary					12.2	10.9	2.8				5.8	5.0	1.9
Prostate	131.2	188.3	14.6					23.8	37.8	6.9			
Testis	2.6	2.0	1.1					0.2	0.2	0.4			
Urinary bladder (incl. in situ)	19.2	29.0	5.9		9.8	9.0	2.6	5.8	8.9	3.3	2.8	2.4	1.3
Kidney and renal pelvis	12.4	16.3	4.2		8.6	8.1	2.4	2.4	3.2	1.9	1.8	1.6	1.1
Brain and other nervous system	5.4	6.5	2.6		6.4	5.2	1.8	2.0	2.7	1.7	1.4	1.2	0.9
Thyroid	3.0	3.6	1.9		10.8	8.8	2.4	0.2	0.3	0.7	0.2	0.2	0.4
Hodgkin lymphoma	4.8	4.5	1.9		3.4	2.7	1.3	1.0	1.1	1.0	0.4	0.3	0.4
Non-Hodgkin lymphomas	23.0	28.2	5.3		19.2	16.8	3.4	5.2	7.0	2.8	6.6	6.0	2.1
Multiple myeloma	6.8	9.4	3.2		6.0	5.5	2.0	2.2	2.8	1.7	3.4	2.8	1.4
Leukemias	11.4	14.4	3.9		11.0	9.4	2.5	4.0	5.6	2.5	5.2	4.4	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Bronx			Incidence			Males			Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	308.6	624.3	33.9		321.2	393.8	19.5		117.0	258.3	22.9		128.6	163.4	12.8
Oral cavity and pharynx	12.0	21.2	5.8		5.6	6.8	2.6		3.6	7.6	3.8		1.2	1.5	1.2
Esophagus	7.6	17.3	5.9		3.0	3.6	1.8		5.8	12.0	4.7		2.4	3.0	1.7
Stomach	10.6	24.4	7.2		9.8	12.7	3.6		5.8	13.6	5.3		3.4	4.4	2.1
Colorectal	36.0	76.0	12.1		39.8	50.9	7.2		13.8	31.4	8.2		12.2	16.0	4.1
Colon excluding rectum	26.6	57.7	10.6		30.6	39.5	6.3		12.0	27.3	7.6		11.2	14.7	3.9
Rectum & rectosigmoid	9.4	18.3	5.7		9.2	11.4	3.3		1.8	4.1	3.0		1.0	1.3	1.2
Liver / intrahepatic bile duct	10.8	18.7	5.3		5.6	7.0	2.6		5.4	9.8	4.0		5.2	6.5	2.5
Pancreas	5.2	12.1	5.1		11.0	14.7	3.9		5.0	11.2	4.9		6.8	9.3	3.2
Larynx	8.6	15.1	4.7		1.2	1.5	1.2		4.2	7.8	3.5		1.0	1.3	1.1
Lung and bronchus	43.4	87.6	12.6		36.6	46.1	6.7		31.4	66.5	11.3		26.0	33.4	5.8
Melanoma of the skin	0.4	1.2	1.6		1.0	1.3	1.1		0.2	0.3	0.6		1.0	1.2	1.1
Female breast					82.2	98.5	9.6						21.6	26.6	5.1
Cervix uteri					18.2	20.9	4.4						6.6	8.1	2.8
Corpus uterus and NOS					21.0	25.6	5.0						5.0	6.0	2.4
Ovary					10.6	13.5	3.7						6.2	7.9	2.8
Prostate	102.0	224.7	21.0						15.4	44.0	10.5				
Testis	0.8	0.8	0.8						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	5.8	13.6	5.4		7.0	9.4	3.1		1.6	4.2	3.2		2.2	3.0	1.8
Kidney and renal pelvis	8.0	14.6	4.9		5.8	7.5	2.7		2.0	4.0	2.6		1.2	1.6	1.3
Brain and other nervous system	3.8	5.5	2.7		2.6	2.8	1.6		2.4	5.1	3.2		0.8	0.8	0.8
Thyroid	2.0	2.8	1.8		8.0	8.8	2.7		0.2	0.3	0.6		0.4	0.5	0.7
Hodgkin lymphoma	4.0	5.3	2.4		1.6	1.7	1.2		0.4	0.5	0.7		0.2	0.2	0.3
Non-Hodgkin lymphomas	12.8	20.7	5.5		13.6	16.2	3.9		3.4	5.7	2.8		4.2	5.5	2.4
Multiple myeloma	4.8	9.9	4.3		6.8	8.6	2.9		2.6	5.1	3.1		4.4	5.9	2.5
Leukemias	6.4	12.3	4.8		8.4	9.7	3.0		2.6	5.7	3.6		3.4	3.9	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003**

Hunts Point - Mott Haven															
Bronx	Males			Incidence			Females			Males			Mortality		
	Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		
All Invasive Malignant Tumors	191.0	530.6	37.0		179.6	343.8	22.9	68.0	202.1	23.6	73.4	148.3	15.4		
Oral cavity and pharynx	10.0	23.8	7.0		2.6	5.1	2.8	2.6	5.8	3.2	1.0	2.2	1.9		
Esophagus	4.0	12.9	6.1		1.8	3.8	2.5	3.6	12.1	6.1	1.6	3.5	2.4		
Stomach	7.4	24.1	8.5		4.2	9.5	4.1	2.8	9.7	5.5	2.2	4.7	2.8		
Colorectal	19.8	61.9	13.4		23.4	46.9	8.6	7.0	22.6	8.4	8.6	18.4	5.6		
Colon excluding rectum	15.0	48.5	12.2		17.0	34.9	7.5	6.4	20.6	8.0	7.4	15.6	5.1		
Rectum & rectosigmoid	4.8	13.4	5.7		6.4	12.0	4.2	0.6	2.0	2.6	1.2	2.8	2.3		
Liver / intrahepatic bile duct	9.6	20.5	6.1		2.6	5.3	2.9	5.6	13.4	5.2	1.8	3.9	2.6		
Pancreas	2.6	8.2	4.9		5.0	10.0	4.0	1.2	3.8	3.4	4.8	10.0	4.1		
Larynx	3.8	9.7	4.6		1.6	3.2	2.2	2.8	7.8	4.3	0.4	0.7	1.0		
Lung and bronchus	25.0	68.8	13.1		18.4	37.1	7.7	18.8	55.7	12.2	14.8	29.7	6.9		
Melanoma of the skin	1.0	3.6	3.5		0.8	1.4	1.4	0.2	0.4	0.8	0.2	0.3	0.6		
Female breast					46.2	86.3	11.3				11.8	23.1	6.0		
Cervix uteri					7.2	13.4	4.4				3.6	6.2	2.9		
Corpus uterus and NOS					11.6	21.7	5.7				2.4	5.4	3.1		
Ovary					4.6	8.4	3.5				4.0	7.9	3.5		
Prostate	58.2	179.6	22.2					7.6	30.6	10.3					
Testis	0.6	0.6	0.7					0.2	0.3	0.7					
Urinary bladder (incl. in situ)	4.2	13.4	6.4		4.6	9.8	4.1	0.4	1.1	1.6	0.6	1.3	1.5		
Kidney and renal pelvis	5.6	13.6	5.5		4.6	8.8	3.6	1.2	3.2	3.0	0.8	1.4	1.4		
Brain and other nervous system	3.0	6.3	3.6		2.6	4.2	2.3	1.2	2.5	2.2	0.8	1.3	1.3		
Thyroid	0.8	1.8	2.0		3.4	5.8	2.8	0.0	0.0	0.0	0.4	1.0	1.4		
Hodgkin lymphoma	3.0	6.3	3.8		1.8	3.4	2.2	0.6	1.6	1.8	0.4	0.8	1.1		
Non-Hodgkin lymphomas	10.0	21.7	6.6		7.6	13.0	4.2	2.4	4.9	3.1	3.8	7.2	3.3		
Multiple myeloma	2.8	7.9	4.6		4.6	9.0	3.7	0.6	1.2	1.4	1.6	3.2	2.2		
Leukemias	5.2	13.4	5.9		5.6	10.0	3.9	2.2	6.3	4.2	2.4	4.7	2.7		

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Kingsbridge - Riverdale				Bronx				Incidence				Mortality				
	Males			Females			Males			Females			Males			Females	
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		
All Invasive Malignant Tumors	244.2	512.8	29.0		288.0	401.8	22.2		96.2	194.6	17.6		113.2	140.2	12.5		
Oral cavity and pharynx	7.4	15.6	5.1		5.4	8.2	3.2		2.6	5.5	3.0		0.6	1.0	1.1		
Esophagus	4.0	8.5	3.7		3.0	4.4	2.4		3.4	6.8	3.3		2.0	2.8	1.9		
Stomach	7.8	15.7	5.0		5.4	6.5	2.6		5.8	11.4	4.2		3.0	3.7	2.0		
Colorectal	28.6	57.7	9.5		42.0	50.4	7.4		11.4	22.8	6.0		14.4	15.9	4.0		
Colon excluding rectum	21.8	43.5	8.2		33.6	39.1	6.4		10.0	20.0	5.6		13.4	14.8	3.9		
Rectum & rectosigmoid	6.8	14.3	4.8		8.4	11.3	3.7		1.4	2.8	2.1		1.0	1.2	1.1		
Liver / intrahepatic bile duct	5.8	12.7	4.7		2.2	2.8	1.8		2.4	5.1	2.9		2.2	2.5	1.6		
Pancreas	6.8	14.0	4.7		8.6	9.6	3.1		5.0	9.9	3.9		5.6	6.0	2.4		
Larynx	1.6	3.2	2.2		2.0	2.9	1.8		1.0	2.0	1.8		0.4	0.3	0.5		
Lung and bronchus	28.8	61.8	10.2		31.0	41.5	6.9		23.0	48.7	9.0		22.6	29.3	5.7		
Melanoma of the skin	7.6	16.1	5.1		4.8	6.6	2.9		1.6	3.3	2.3		1.8	2.4	1.6		
Female breast					81.4	121.6	12.4						19.4	25.3	5.4		
Cervix uteri					3.2	5.9	3.0						2.4	4.2	2.5		
Corpus uterus and NOS					18.0	27.2	5.9						2.6	3.1	1.8		
Ovary					7.2	10.7	3.7						6.0	8.2	3.1		
Prostate	76.8	161.9	16.3						12.6	23.2	5.8						
Testis	2.6	5.9	3.2						0.0	0.0	0.0						
Urinary bladder (incl. in situ)	15.2	30.7	7.0		8.0	9.4	3.1		4.4	8.2	3.4		1.8	1.4	1.0		
Kidney and renal pelvis	7.4	16.1	5.2		5.2	7.7	3.1		2.8	5.8	3.0		1.0	1.2	1.1		
Brain and other nervous system	3.0	6.7	3.4		4.0	6.0	2.7		1.0	2.2	2.0		2.4	3.4	2.0		
Thyroid	1.8	3.9	2.6		7.2	13.4	4.5		0.4	0.8	1.2		0.8	0.9	1.0		
Hodgkin lymphoma	1.2	2.7	2.2		1.0	2.1	1.8		0.0	0.0	0.0		0.0	0.0	0.0		
Non-Hodgkin lymphomas	11.6	24.9	6.5		14.4	19.8	4.9		4.4	9.6	4.0		4.0	4.1	2.0		
Multiple myeloma	4.2	8.6	3.7		5.2	7.1	2.8		1.8	3.6	2.4		2.8	3.4	1.9		
Leukemias	8.4	17.1	5.2		6.8	9.2	3.4		4.8	9.9	4.0		4.2	4.7	2.2		

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	Males		Females	Males		Females						
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	447.4	559.2	23.3	482.6	387.0	15.7	165.4	211.0	14.4	190.4	145.2	9.4
Oral cavity and pharynx	7.2	8.7	2.9	5.2	4.4	1.7	2.2	2.9	1.7	2.0	1.6	1.0
Esophagus	5.6	7.0	2.6	3.0	2.1	1.1	4.8	6.0	2.4	2.4	1.7	1.0
Stomach	12.2	15.4	3.9	14.0	10.6	2.5	8.4	10.7	3.2	8.4	6.0	1.9
Colorectal	57.4	73.5	8.5	69.8	53.2	5.7	21.0	26.7	5.1	23.8	17.5	3.2
Colon excluding rectum	43.8	56.0	7.4	56.2	42.7	5.1	19.8	25.1	5.0	21.0	15.4	3.0
Rectum & rectosigmoid	13.6	17.5	4.2	13.6	10.4	2.5	1.2	1.6	1.3	2.8	2.1	1.1
Liver / intrahepatic bile duct	10.2	12.9	3.6	7.0	5.5	1.9	4.8	6.0	2.4	4.0	3.0	1.3
Pancreas	12.4	15.7	3.9	19.2	14.1	2.9	9.2	11.6	3.4	13.8	9.9	2.4
Larynx	5.4	7.0	2.6	2.2	1.9	1.1	1.2	1.6	1.3	0.6	0.4	0.5
Lung and bronchus	52.2	65.2	7.9	45.6	35.2	4.6	41.0	51.5	7.1	33.8	25.4	3.9
Melanoma of the skin	3.2	4.1	2.0	2.4	1.9	1.1	1.0	1.3	1.1	0.6	0.5	0.5
Female breast				138.8	115.4	8.7				35.2	27.9	4.2
Cervix uteri				14.8	13.2	3.0				5.6	4.9	1.8
Corpus uterus and NOS				30.4	24.9	4.0				5.6	4.4	1.6
Ovary				15.0	12.4	2.8				9.8	7.9	2.2
Prostate	168.2	207.6	14.1				28.8	38.1	6.2			
Testis	1.8	2.3	1.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	19.2	25.0	5.0	9.6	7.2	2.1	4.0	5.4	2.4	3.6	2.7	1.3
Kidney and renal pelvis	13.8	16.9	4.0	12.4	9.9	2.5	5.2	6.5	2.5	2.4	1.6	0.9
Brain and other nervous system	5.2	6.2	2.4	6.6	5.6	1.9	3.0	3.8	1.9	1.6	1.3	0.9
Thyroid	2.2	2.7	1.6	10.4	9.4	2.6	0.4	0.5	0.7	0.8	0.6	0.6
Hodgkin lymphoma	2.8	3.4	1.8	1.2	1.2	1.0	1.2	1.5	1.2	0.0	0.0	0.0
Non-Hodgkin lymphomas	15.4	19.3	4.3	18.6	14.9	3.1	4.8	6.2	2.5	8.6	6.5	2.0
Multiple myeloma	10.4	13.1	3.6	12.8	10.2	2.5	4.4	5.6	2.3	6.0	4.8	1.8
Leukemias	12.0	14.7	3.7	11.6	8.9	2.3	5.8	7.2	2.6	6.0	4.5	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Bronx			Incidence						Mortality		
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	617.2	543.4	19.4	664.0	395.2	13.5	236.4	216.1	12.5	265.4	152.4	8.3
Oral cavity and pharynx	17.6	15.1	3.2	7.6	4.4	1.4	4.4	3.9	1.7	1.4	0.8	0.6
Esophagus	8.6	7.3	2.2	3.6	2.1	1.0	6.2	5.3	1.9	3.6	2.0	0.9
Stomach	16.8	14.9	3.2	15.6	8.9	2.0	9.4	8.3	2.4	10.6	5.9	1.6
Colorectal	75.6	67.9	6.9	83.4	48.1	4.6	27.4	24.8	4.2	35.4	19.8	2.9
Colon excluding rectum	50.4	45.9	5.7	62.4	35.7	4.0	22.2	20.4	3.8	30.6	17.1	2.7
Rectum & rectosigmoid	25.2	22.0	3.9	21.0	12.4	2.4	5.2	4.5	1.7	4.8	2.7	1.1
Liver / intrahepatic bile duct	18.0	15.2	3.2	8.0	4.6	1.4	12.8	11.2	2.8	6.8	3.8	1.3
Pancreas	15.4	13.8	3.1	22.4	12.5	2.3	12.2	11.2	2.8	17.4	9.8	2.1
Larynx	12.6	10.6	2.6	5.0	3.1	1.2	4.2	3.5	1.5	1.8	1.0	0.7
Lung and bronchus	82.6	74.6	7.3	75.8	44.2	4.5	63.6	58.0	6.4	53.8	31.2	3.7
Melanoma of the skin	6.0	5.2	1.9	6.6	3.9	1.4	3.2	2.8	1.4	1.4	0.8	0.6
Female breast				175.8	107.5	7.1				44.2	25.9	3.4
Cervix uteri				22.4	14.2	2.6				6.8	4.1	1.4
Corpus uterus and NOS				47.2	28.5	3.6				7.4	4.3	1.4
Ovary				24.0	14.3	2.6				13.6	7.9	1.9
Prostate	190.8	169.1	10.8				32.2	32.7	5.1			
Testis	5.6	4.0	1.5				0.4	0.3	0.4			
Urinary bladder (incl. in situ)	31.4	29.6	4.7	16.4	9.3	2.0	6.2	6.0	2.1	5.0	2.7	1.1
Kidney and renal pelvis	18.0	15.3	3.2	12.8	7.7	1.9	6.0	5.4	1.9	3.0	1.7	0.8
Brain and other nervous system	7.6	6.1	2.0	7.2	4.3	1.4	3.6	2.9	1.4	4.8	2.9	1.1
Thyroid	4.4	3.5	1.5	15.8	9.9	2.2	0.0	0.0	0.0	0.8	0.5	0.5
Hodgkin lymphoma	5.2	4.2	1.6	5.6	3.6	1.3	1.4	1.1	0.8	0.4	0.3	0.4
Non-Hodgkin lymphomas	27.6	23.3	3.9	24.8	15.0	2.7	8.4	7.3	2.3	9.4	5.4	1.6
Multiple myeloma	10.0	9.1	2.6	13.2	7.8	1.9	4.4	4.0	1.7	5.0	2.9	1.2
Leukemias	18.2	15.9	3.3	18.8	11.1	2.3	10.2	9.1	2.5	6.8	4.0	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

**New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003**

**Kings (Brooklyn)**

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4975.0	527.9	6.6	5196.2	381.4	4.7	1862.6	204.8	4.2	2032.8	145.9	2.8
Oral cavity and pharynx	147.0	14.7	1.1	75.0	5.6	0.6	45.4	4.5	0.6	20.4	1.5	0.3
Esophagus	72.4	7.6	0.8	33.2	2.4	0.4	58.0	6.1	0.7	25.0	1.8	0.3
Stomach	163.2	17.8	1.2	140.6	10.0	0.7	87.0	9.6	0.9	79.4	5.6	0.6
Colorectal	639.4	70.0	2.5	710.2	50.7	1.7	229.8	25.7	1.5	257.6	18.1	1.0
Colon excluding rectum	464.8	51.5	2.1	547.0	38.9	1.5	202.0	22.7	1.4	230.8	16.2	0.9
Rectum & rectosigmoid	174.6	18.5	1.2	163.2	11.8	0.8	27.8	3.0	0.5	26.8	1.9	0.3
Liver / intrahepatic bile duct	128.2	13.1	1.0	59.2	4.3	0.5	87.8	9.2	0.9	45.8	3.3	0.4
Pancreas	125.4	13.9	1.1	153.0	10.9	0.8	100.4	11.1	1.0	126.4	8.9	0.7
Larynx	75.0	7.8	0.8	19.6	1.5	0.3	29.2	3.1	0.5	6.8	0.5	0.2
Lung and bronchus	653.0	70.3	2.4	513.8	37.4	1.5	491.6	53.3	2.1	368.6	26.6	1.2
Melanoma of the skin	72.0	7.6	0.8	67.0	4.9	0.5	16.0	1.7	0.4	16.0	1.2	0.3
Female breast				1451.8	108.5	2.5				374.0	27.2	1.2
Cervix uteri				165.6	12.5	0.9				47.6	3.6	0.5
Corpus uterus and NOS				362.2	26.9	1.2				81.0	5.9	0.6
Ovary				165.8	12.3	0.8				103.8	7.6	0.7
Prostate	1552.8	165.5	3.7				239.6	28.7	1.6			
Testis	37.8	3.1	0.5				1.0	0.1	0.1			
Urinary bladder (incl. in situ)	276.0	31.0	1.7	107.4	7.7	0.7	49.6	5.9	0.7	26.2	1.8	0.3
Kidney and renal pelvis	163.8	17.1	1.2	117.0	8.6	0.7	36.4	3.9	0.6	28.0	2.0	0.3
Brain and other nervous system	72.2	6.9	0.7	77.4	5.7	0.6	34.8	3.5	0.5	29.4	2.2	0.3
Thyroid	41.2	3.9	0.5	139.4	10.6	0.8	2.4	0.3	0.1	9.4	0.7	0.2
Hodgkin lymphoma	39.6	3.5	0.5	37.4	2.8	0.4	5.4	0.5	0.2	5.0	0.4	0.1
Non-Hodgkin lymphomas	209.2	21.3	1.3	208.0	15.3	0.9	69.8	7.4	0.8	68.0	4.9	0.5
Multiple myeloma	62.6	6.8	0.8	80.0	5.8	0.6	30.4	3.3	0.5	39.0	2.8	0.4
Leukemias	128.0	13.2	1.0	120.2	8.7	0.7	69.4	7.5	0.8	66.0	4.7	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Bedford Stuyvesant - Crown Heights Kings (Brooklyn)			Incidence						Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	608.4	650.6	24.2		593.8	378.2	13.7		246.0	285.6	16.8		260.6	168.3	9.2
Oral cavity and pharynx	23.2	21.9	4.1		10.0	6.3	1.7		8.8	8.7	2.7		2.6	1.6	0.9
Esophagus	11.8	12.6	3.3		5.8	3.8	1.4		9.8	10.2	2.9		4.2	2.7	1.2
Stomach	19.6	24.4	5.1		17.8	11.5	2.4		10.6	12.9	3.7		8.6	5.5	1.6
Colorectal	57.2	64.8	7.9		80.8	52.9	5.2		27.8	34.2	6.0		33.8	22.0	3.3
Colon excluding rectum	40.4	46.9	6.8		63.8	41.9	4.6		23.4	28.8	5.5		31.0	20.3	3.2
Rectum & rectosigmoid	16.8	18.0	4.0		17.0	10.9	2.3		4.4	5.4	2.4		2.8	1.8	0.9
Liver / intrahepatic bile duct	13.0	12.4	3.1		5.2	3.3	1.3		9.0	9.1	2.8		3.8	2.4	1.1
Pancreas	12.2	13.4	3.5		20.6	13.5	2.6		12.0	13.6	3.6		17.2	11.4	2.4
Larynx	10.6	10.5	2.9		3.8	2.5	1.1		6.0	6.3	2.3		1.6	1.1	0.7
Lung and bronchus	74.4	80.2	8.5		56.6	36.4	4.3		57.0	62.6	7.6		43.8	28.6	3.8
Melanoma of the skin	1.6	1.2	0.9		2.6	1.6	0.9		0.8	0.7	0.7		0.8	0.5	0.5
Female breast					174.6	110.5	7.4						54.4	34.7	4.1
Cervix uteri					29.8	18.4	3.0						10.0	6.3	1.7
Corpus uterus and NOS					42.4	27.0	3.7						14.2	9.1	2.1
Ovary					15.0	9.5	2.2						9.0	5.8	1.7
Prostate	259.0	284.3	16.1						45.4	64.0	8.7				
Testis	3.4	2.6	1.3						0.4	0.4	0.6				
Urinary bladder (incl. in situ)	12.8	15.2	3.9		5.8	3.7	1.3		4.2	5.0	2.3		4.0	2.6	1.2
Kidney and renal pelvis	12.6	13.2	3.4		9.6	6.0	1.7		2.6	2.8	1.6		1.8	1.2	0.8
Brain and other nervous system	5.8	4.5	1.7		8.0	4.9	1.5		2.6	2.1	1.1		2.2	1.4	0.8
Thyroid	2.0	1.6	1.0		10.2	6.3	1.7		0.2	0.2	0.3		0.6	0.4	0.5
Hodgkin lymphoma	4.2	3.2	1.4		3.4	1.8	0.9		1.0	0.9	0.8		0.2	0.1	0.2
Non-Hodgkin lymphomas	21.8	20.8	4.1		23.4	14.7	2.7		9.0	9.5	3.0		6.4	4.0	1.4
Multiple myeloma	9.4	10.6	3.2		14.6	9.4	2.2		5.2	6.2	2.5		7.4	4.9	1.6
Leukemias	11.2	10.9	3.1		10.0	6.3	1.8		6.2	6.6	2.6		7.2	4.5	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Bensonhurst - Bay Ridge			Incidence			Mortality			Kings (Brooklyn)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	493.2	487.5	19.3		574.6	414.5	15.8		189.6	188.3	12.0		210.4	136.3	8.6
Oral cavity and pharynx	11.0	11.1	2.9		8.8	6.7	2.0		4.2	4.2	1.8		2.4	1.6	0.9
Esophagus	5.8	5.7	2.1		2.2	1.3	0.8		4.2	4.1	1.8		1.8	1.0	0.7
Stomach	15.8	15.8	3.5		13.0	8.6	2.2		6.4	6.6	2.3		5.6	3.6	1.4
Colorectal	67.6	66.7	7.1		79.0	49.5	5.1		27.4	27.1	4.5		26.0	15.4	2.7
Colon excluding rectum	49.8	49.1	6.1		62.2	38.5	4.4		25.2	24.9	4.4		22.8	13.5	2.6
Rectum & rectosigmoid	17.8	17.7	3.7		16.8	11.0	2.5		2.2	2.2	1.3		3.2	1.9	1.0
Liver / intrahepatic bile duct	11.8	11.8	3.0		5.4	3.6	1.4		8.8	8.7	2.6		4.8	3.0	1.2
Pancreas	15.4	15.1	3.4		13.4	8.4	2.1		10.0	9.8	2.7		11.4	7.1	1.9
Larynx	8.0	7.9	2.5		2.2	1.5	0.9		1.4	1.4	1.0		0.0	0.0	0.0
Lung and bronchus	83.6	82.1	7.9		68.4	45.6	5.0		58.0	57.0	6.6		53.4	35.0	4.3
Melanoma of the skin	10.6	10.6	2.9		10.2	7.9	2.3		3.4	3.3	1.6		3.0	2.1	1.1
Female breast					165.0	124.9	8.8						33.4	22.5	3.6
Cervix uteri					8.8	7.9	2.4						1.8	1.4	1.0
Corpus uterus and NOS					33.6	26.2	4.1						4.6	3.1	1.3
Ovary					17.6	13.7	3.0						12.8	9.7	2.5
Prostate	111.2	108.7	9.1						20.0	20.4	4.0				
Testis	4.8	4.6	1.9						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	43.4	42.8	5.7		16.6	10.8	2.4		7.0	7.0	2.3		2.8	1.6	0.9
Kidney and renal pelvis	19.6	19.3	3.8		19.4	14.5	3.0		5.2	5.1	2.0		3.2	2.2	1.1
Brain and other nervous system	6.4	6.7	2.3		9.0	7.5	2.3		2.6	2.5	1.4		4.2	3.0	1.3
Thyroid	4.8	4.8	1.9		17.0	15.1	3.3		0.0	0.0	0.0		0.8	0.5	0.5
Hodgkin lymphoma	3.4	3.7	1.8		3.6	3.4	1.6		0.8	0.8	0.8		0.2	0.1	0.3
Non-Hodgkin lymphomas	23.0	23.3	4.3		25.4	17.8	3.2		7.2	7.3	2.4		8.0	4.8	1.6
Multiple myeloma	5.8	5.7	2.1		4.8	3.3	1.3		1.8	1.7	1.1		1.4	1.0	0.7
Leukemias	11.2	11.2	2.9		15.0	10.8	2.6		7.6	7.7	2.5		8.4	5.6	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Borough Park			Incidence			Mortality			Kings (Brooklyn)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	677.4	490.0	16.5		749.8	409.2	13.5		233.6	168.7	9.7		254.6	127.3	7.2
Oral cavity and pharynx	14.2	10.3	2.4		10.8	6.4	1.7		4.2	3.1	1.3		1.8	1.0	0.7
Esophagus	5.4	3.9	1.5		4.0	2.0	0.9		5.4	4.0	1.5		3.2	1.5	0.7
Stomach	25.0	18.2	3.2		19.2	9.5	2.0		12.4	9.0	2.2		11.8	5.7	1.5
Colorectal	102.0	73.9	6.4		106.2	53.2	4.7		30.6	22.0	3.5		32.4	15.4	2.5
Colon excluding rectum	76.6	55.5	5.6		85.6	42.4	4.1		28.2	20.3	3.4		29.6	14.0	2.3
Rectum & rectosigmoid	25.4	18.4	3.2		20.6	10.8	2.2		2.4	1.7	1.0		2.8	1.4	0.8
Liver / intrahepatic bile duct	21.6	15.7	3.0		9.8	5.3	1.5		13.2	9.6	2.3		7.0	3.5	1.2
Pancreas	20.2	14.6	2.9		23.0	11.1	2.1		15.6	11.3	2.5		16.6	7.8	1.7
Larynx	9.0	6.6	1.9		2.8	1.5	0.8		3.0	2.2	1.1		0.6	0.4	0.4
Lung and bronchus	91.4	66.7	6.1		75.2	39.5	4.1		62.0	45.2	5.0		42.0	20.8	2.9
Melanoma of the skin	15.0	10.8	2.5		13.4	7.6	1.9		2.6	1.9	1.0		3.0	1.6	0.8
Female breast					204.0	117.5	7.4						45.2	24.1	3.3
Cervix uteri					11.8	7.4	1.9						3.4	2.1	1.0
Corpus uterus and NOS					53.4	30.4	3.7						8.4	4.3	1.3
Ovary					29.2	16.6	2.8						15.8	8.3	1.9
Prostate	157.4	115.5	8.1						23.0	16.5	3.0				
Testis	6.0	3.9	1.4						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	56.0	40.5	4.8		18.2	9.1	1.9		8.4	6.0	1.8		3.6	1.5	0.7
Kidney and renal pelvis	28.8	20.9	3.4		16.2	8.4	1.9		4.8	3.5	1.4		4.2	2.0	0.9
Brain and other nervous system	13.2	9.3	2.3		11.0	6.1	1.7		6.6	4.7	1.6		3.4	1.9	0.9
Thyroid	9.0	6.2	1.8		23.4	14.9	2.7		0.6	0.4	0.5		2.4	1.2	0.7
Hodgkin lymphoma	6.2	3.9	1.4		7.8	4.9	1.6		0.4	0.2	0.3		0.6	0.4	0.4
Non-Hodgkin lymphomas	28.4	20.4	3.4		29.0	16.2	2.7		8.8	6.4	1.9		10.0	4.9	1.4
Multiple myeloma	7.8	5.7	1.8		9.6	5.2	1.5		2.8	2.0	1.1		3.0	1.5	0.8
Leukemias	20.2	14.0	2.7		18.8	9.6	2.0		7.8	5.5	1.7		10.0	5.0	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Kings (Brooklyn)			Incidence			Males			Mortality		
	Males	Females		Males	Females		Males	Females		Males	Females	
All Invasive Malignant Tumors	411.0	527.4	23.1	441.8	385.2	16.1	141.2	188.6	14.1	158.2	137.6	9.6
Oral cavity and pharynx	10.4	12.9	3.5	5.4	4.8	1.8	2.8	3.3	1.7	1.4	1.2	0.9
Esophagus	5.8	7.2	2.6	2.0	1.7	1.1	5.0	6.3	2.5	1.4	1.2	0.9
Stomach	12.8	16.4	4.1	8.4	7.3	2.2	7.2	9.1	3.0	6.2	5.3	1.9
Colorectal	46.6	62.7	8.1	60.4	52.5	5.9	16.8	22.5	4.9	21.0	18.2	3.5
Colon excluding rectum	34.2	46.5	7.0	47.8	41.6	5.3	15.4	20.8	4.7	19.2	16.7	3.3
Rectum & rectosigmoid	12.4	16.2	4.1	12.6	10.9	2.7	1.4	1.7	1.3	1.8	1.6	1.0
Liver / intrahepatic bile duct	6.4	8.1	2.8	4.2	3.6	1.6	4.0	5.1	2.2	2.6	2.3	1.3
Pancreas	10.2	13.3	3.7	14.2	12.3	2.9	8.8	11.6	3.5	10.8	9.3	2.5
Larynx	3.0	3.9	2.0	1.8	1.6	1.0	1.2	1.6	1.3	0.2	0.2	0.3
Lung and bronchus	51.6	68.4	8.5	47.4	41.2	5.2	38.6	51.6	7.4	30.4	26.4	4.2
Melanoma of the skin	8.0	10.4	3.3	5.2	4.6	1.8	1.4	1.9	1.4	2.2	1.9	1.1
Female breast				125.2	109.0	8.5				29.0	25.2	4.1
Cervix uteri				13.4	11.7	2.8				3.0	2.6	1.3
Corpus uterus and NOS				34.2	29.5	4.4				4.4	3.8	1.6
Ovary				14.0	12.2	2.9				8.6	7.5	2.2
Prostate	148.4	185.3	13.4				17.8	26.1	5.5			
Testis	1.8	2.1	1.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	26.4	35.8	6.2	9.0	7.8	2.3	3.8	5.4	2.5	1.0	0.9	0.8
Kidney and renal pelvis	13.0	15.9	3.9	8.4	7.3	2.2	2.0	2.5	1.6	1.4	1.2	0.9
Brain and other nervous system	7.2	8.5	2.8	5.8	5.2	1.9	2.2	2.6	1.6	2.0	1.7	1.1
Thyroid	2.6	3.0	1.7	10.4	9.3	2.5	0.6	0.6	0.7	0.2	0.2	0.4
Hodgkin lymphoma	2.4	2.8	1.6	2.8	2.6	1.4	0.0	0.0	0.0	0.4	0.4	0.5
Non-Hodgkin lymphomas	15.2	19.3	4.4	19.4	17.0	3.4	6.6	8.4	2.9	5.4	4.7	1.8
Multiple myeloma	4.8	6.3	2.6	6.4	5.6	2.0	1.6	2.2	1.6	2.6	2.3	1.2
Leukemias	10.0	12.7	3.6	11.4	10.1	2.6	5.4	7.0	2.7	7.2	6.4	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Coney Island - Sheepshead Bay			Incidence			Mortality			Kings (Brooklyn)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	839.4	518.5	15.8		935.8	432.8	13.0		304.6	185.8	9.4		335.4	139.4	7.0
Oral cavity and pharynx	22.0	14.8	2.8		13.2	6.1	1.5		5.2	3.5	1.4		3.8	1.8	0.9
Esophagus	9.0	5.6	1.6		4.8	1.7	0.7		7.0	4.3	1.4		4.0	1.5	0.7
Stomach	29.6	18.3	3.0		22.8	9.6	1.9		15.8	9.7	2.1		12.0	5.3	1.4
Colorectal	136.6	83.2	6.3		144.2	58.9	4.5		37.0	22.2	3.2		43.4	16.8	2.3
Colon excluding rectum	99.8	60.5	5.3		114.2	46.3	4.0		32.2	19.2	3.0		39.4	15.1	2.2
Rectum & rectosigmoid	36.8	22.7	3.3		30.0	12.6	2.1		4.8	3.0	1.2		4.0	1.7	0.8
Liver / intrahepatic bile duct	19.0	12.0	2.4		8.4	3.7	1.2		12.2	7.8	2.0		6.4	2.6	0.9
Pancreas	24.8	15.0	2.7		30.2	12.0	2.0		20.6	12.5	2.4		24.8	9.5	1.7
Larynx	11.4	7.2	1.9		2.8	1.3	0.7		2.8	1.8	0.9		1.2	0.4	0.4
Lung and bronchus	118.6	72.6	5.9		94.6	40.6	3.8		82.6	50.2	4.9		60.2	24.7	2.9
Melanoma of the skin	17.6	11.1	2.3		18.4	8.6	1.9		3.4	2.2	1.1		3.8	1.8	0.8
Female breast					248.6	123.7	7.2						60.8	26.5	3.1
Cervix uteri					18.2	10.5	2.2						5.2	2.6	1.0
Corpus uterus and NOS					64.0	30.7	3.5						12.4	5.2	1.3
Ovary					33.8	17.1	2.7						21.0	9.4	1.9
Prostate	188.6	113.7	7.3						30.6	17.9	2.8				
Testis	4.8	3.7	1.5						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	65.4	39.5	4.3		25.0	10.3	1.9		11.6	6.8	1.8		4.8	1.6	0.7
Kidney and renal pelvis	41.8	25.9	3.5		26.8	11.6	2.0		7.8	4.7	1.5		5.8	2.2	0.8
Brain and other nervous system	11.0	7.5	2.0		13.2	6.9	1.8		7.4	4.8	1.6		5.8	2.7	1.0
Thyroid	9.0	5.9	1.7		24.8	14.9	2.7		0.4	0.2	0.3		1.6	0.6	0.4
Hodgkin lymphoma	4.2	3.0	1.3		5.2	3.0	1.2		0.6	0.4	0.4		1.2	0.6	0.5
Non-Hodgkin lymphomas	36.4	23.3	3.4		35.4	16.4	2.6		11.8	7.3	1.9		10.8	4.4	1.2
Multiple myeloma	7.0	4.2	1.4		6.4	3.0	1.1		5.0	2.9	1.2		4.4	1.9	0.8
Leukemias	29.2	18.7	3.1		24.8	11.4	2.2		17.0	10.7	2.3		9.4	4.1	1.2

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Kings (Brooklyn)			Incidence			Males			Mortality		
	Males	Females					Males	Females		Males	Females	
All Invasive Malignant Tumors	414.4	543.0	24.2	419.0	386.3	16.7	156.6	223.9	16.2	163.0	151.7	10.5
Oral cavity and pharynx	13.8	15.9	3.9	6.4	6.0	2.1	2.8	3.8	2.1	1.8	1.7	1.1
Esophagus	7.6	10.2	3.3	2.8	2.8	1.5	7.2	10.2	3.4	2.8	2.6	1.4
Stomach	10.0	14.7	4.2	9.8	8.8	2.5	3.8	5.6	2.6	5.8	5.2	1.9
Colorectal	50.4	70.6	9.0	53.6	49.7	6.0	21.4	31.7	6.2	21.4	19.5	3.7
Colon excluding rectum	37.0	52.2	7.8	39.8	36.7	5.1	19.4	29.0	5.9	18.6	16.9	3.5
Rectum & rectosigmoid	13.4	18.4	4.5	13.8	13.0	3.1	2.0	2.7	1.8	2.8	2.6	1.4
Liver / intrahepatic bile duct	12.6	15.4	3.9	4.6	4.6	1.9	8.2	10.4	3.3	3.0	2.8	1.4
Pancreas	9.0	12.2	3.7	11.4	10.6	2.8	7.8	10.8	3.5	9.6	8.9	2.5
Larynx	7.2	9.6	3.2	1.6	1.6	1.1	2.8	4.0	2.1	0.4	0.4	0.5
Lung and bronchus	53.8	73.4	9.0	42.6	41.1	5.6	39.6	54.7	7.8	33.8	32.8	5.0
Melanoma of the skin	7.0	7.9	2.7	7.4	5.9	2.0	1.6	2.0	1.4	1.0	0.9	0.8
Female breast				129.8	119.5	9.3				27.8	25.4	4.3
Cervix uteri				11.6	10.0	2.6				2.8	2.5	1.3
Corpus uterus and NOS				24.4	23.1	4.1				5.2	5.0	1.9
Ovary				10.4	9.7	2.7				5.8	5.6	2.1
Prostate	126.8	172.9	13.8				20.4	34.5	6.8			
Testis	6.8	5.4	1.9				0.2	0.2	0.3			
Urinary bladder (incl. in situ)	17.0	23.7	5.2	8.4	8.2	2.5	4.0	6.4	2.8	2.0	2.0	1.2
Kidney and renal pelvis	11.6	14.4	3.8	8.4	8.0	2.5	2.4	3.3	2.0	2.6	2.4	1.3
Brain and other nervous system	6.2	6.8	2.5	6.0	5.3	1.9	3.8	4.6	2.2	2.0	1.8	1.1
Thyroid	5.2	5.1	2.1	12.4	10.2	2.6	0.2	0.3	0.6	0.0	0.0	0.0
Hodgkin lymphoma	5.2	5.1	2.0	3.6	2.6	1.3	0.0	0.0	0.0	0.4	0.4	0.5
Non-Hodgkin lymphomas	20.2	22.8	4.7	18.2	16.1	3.4	5.4	6.1	2.4	6.2	5.6	2.0
Multiple myeloma	6.6	9.2	3.2	5.2	5.0	1.9	4.6	6.5	2.7	3.6	3.3	1.5
Leukemias	10.4	14.2	4.0	8.8	8.5	2.5	4.2	5.9	2.6	4.8	4.2	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Kings (Brooklyn)			Incidence			Males			Mortality					
	Males	Females		Males	Females		Males	Females		Males	Females				
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	585.2	557.5	21.5		558.8	328.2	12.3		174.8	186.9	13.3		205.8	125.3	7.8
Oral cavity and pharynx	15.6	13.6	3.2		7.6	4.5	1.5		3.2	2.6	1.3		1.6	1.0	0.7
Esophagus	7.0	6.7	2.4		2.6	1.6	0.9		5.2	4.6	1.9		1.0	0.6	0.6
Stomach	16.2	16.7	3.9		14.4	9.0	2.1		9.4	9.6	2.9		7.6	4.8	1.5
Colorectal	55.4	56.2	7.1		71.6	43.3	4.5		21.4	23.1	4.7		25.0	15.6	2.8
Colon excluding rectum	39.8	41.5	6.2		53.2	32.3	3.9		18.0	19.4	4.3		23.6	14.6	2.7
Rectum & rectosigmoid	15.6	14.7	3.5		18.4	11.0	2.3		3.4	3.7	1.9		1.4	1.0	0.7
Liver / intrahepatic bile duct	11.6	10.0	2.7		6.6	4.1	1.4		7.0	6.7	2.3		3.8	2.4	1.1
Pancreas	11.8	12.7	3.5		15.2	9.9	2.3		7.8	8.0	2.7		13.0	8.3	2.0
Larynx	6.6	5.9	2.1		1.4	0.8	0.6		2.0	1.9	1.3		0.4	0.3	0.4
Lung and bronchus	49.0	47.5	6.3		38.4	22.8	3.3		35.0	36.5	5.7		24.8	14.9	2.7
Melanoma of the skin	4.4	4.4	2.0		3.6	2.4	1.1		1.0	1.3	1.2		0.8	0.5	0.5
Female breast					167.4	94.7	6.5						43.8	25.8	3.5
Cervix uteri					25.6	15.1	2.6						7.4	4.4	1.4
Corpus uterus and NOS					43.2	25.1	3.4						12.4	7.5	1.9
Ovary					19.4	11.2	2.3						11.6	7.0	1.8
Prostate	281.4	267.3	14.8						36.2	46.8	7.2				
Testis	1.6	1.1	0.8						0.2	0.1	0.2				
Urinary bladder (incl. in situ)	18.6	20.6	4.4		7.8	4.9	1.6		3.8	4.8	2.3		2.8	1.8	1.0
Kidney and renal pelvis	14.4	13.1	3.2		10.2	5.9	1.7		3.2	3.2	1.7		2.2	1.3	0.8
Brain and other nervous system	6.4	5.1	1.9		8.6	5.1	1.5		3.8	3.0	1.5		3.0	1.7	0.9
Thyroid	3.2	2.5	1.3		17.8	9.8	2.1		0.0	0.0	0.0		2.4	1.5	0.9
Hodgkin lymphoma	2.8	2.2	1.2		3.0	1.7	0.8		0.8	0.8	0.8		0.8	0.4	0.4
Non-Hodgkin lymphomas	24.8	20.6	3.9		21.0	12.5	2.4		4.8	4.4	1.9		7.2	4.3	1.4
Multiple myeloma	10.4	10.6	3.1		16.2	9.5	2.1		3.6	3.0	1.5		5.8	3.5	1.3
Leukemias	13.6	13.4	3.5		12.2	7.2	1.8		7.4	7.7	2.7		7.0	4.4	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	East New York			Incidence			Mortality			Females								
	Kings (Brooklyn)	Males	Females	Males	Females	Males	Females	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000
All Invasive Malignant Tumors	273.2	572.1	33.3	238.6	322.7	18.8	107.2	247.4	23.2	114.6	165.8	14.0	4.0	8.1	4.0	2.0	2.9	1.9
Oral cavity and pharynx	7.4	12.9	4.5	2.4	2.9	1.7	4.4	9.4	4.3	2.0	2.8	1.7	4.0	8.1	4.0	2.0	2.9	1.9
Esophagus	7.0	16.0	5.9	2.8	4.4	2.4	4.4	9.4	4.3	2.0	2.8	1.7	4.4	9.4	4.3	2.0	2.8	1.7
Stomach	9.6	21.7	6.8	9.6	14.8	4.3	5.8	13.8	5.8	6.6	10.5	3.7	5.8	13.8	5.8	6.6	10.5	3.7
Colorectal	33.6	74.1	12.4	25.6	35.1	6.3	10.8	25.8	7.5	12.2	18.9	4.9	10.8	25.8	7.5	12.2	18.9	4.9
Colon excluding rectum	23.6	53.8	10.7	17.4	23.8	5.1	9.8	23.6	7.3	11.0	17.1	4.6	9.8	23.6	7.3	11.0	17.1	4.6
Rectum & rectosigmoid	10.0	20.3	6.2	8.2	11.4	3.6	1.0	2.2	2.0	1.2	1.8	1.5	1.0	2.2	2.0	1.2	1.8	1.5
Liver / intrahepatic bile duct	7.0	12.7	4.5	3.4	4.5	2.2	6.6	12.3	4.4	2.0	3.0	1.9	6.6	12.3	4.4	2.0	3.0	1.9
Pancreas	5.0	11.7	5.0	5.8	9.5	3.5	4.8	10.5	4.4	4.4	7.7	3.3	4.8	10.5	4.4	4.4	7.7	3.3
Larynx	6.4	12.1	4.6	1.2	1.6	1.3	3.6	6.6	3.4	0.2	0.2	0.4	3.6	6.6	3.4	0.2	0.2	0.4
Lung and bronchus	32.4	70.2	11.7	22.0	30.4	5.8	25.4	57.1	10.8	19.0	26.5	5.5	25.4	57.1	10.8	19.0	26.5	5.5
Melanoma of the skin	1.0	2.2	2.1	0.4	0.6	0.9	0.2	0.6	1.1	0.0	0.0	0.0	0.2	0.6	1.1	0.0	0.0	0.0
Female breast				64.0	83.0	9.3				22.4	31.0	5.9						
Cervix uteri				14.0	17.4	4.2				4.0	5.0	2.2						
Corpus uterus and NOS				20.0	27.6	5.6				7.0	10.2	3.5						
Ovary				6.6	9.5	3.3				5.8	8.7	3.2						
Prostate	98.0	215.0	20.7				14.6	41.8	10.4									
Testis	1.2	1.5	1.2				0.0	0.0	0.0									
Urinary bladder (incl. in situ)	8.4	22.6	7.5	4.0	6.2	2.8	2.2	7.5	4.8	1.0	1.7	1.5	2.2	7.5	4.8	1.0	1.7	1.5
Kidney and renal pelvis	5.4	10.7	4.2	5.2	6.8	2.7	1.6	3.3	2.4	2.0	2.9	1.8	5.2	6.8	2.7	2.0	2.9	1.8
Brain and other nervous system	6.2	10.4	3.9	4.4	5.8	2.5	2.0	3.4	2.2	1.8	2.6	1.7	4.4	5.8	2.5	1.8	2.6	1.7
Thyroid	1.4	2.0	1.5	4.6	5.4	2.3	0.0	0.0	0.0	0.2	0.4	0.7	0.0	0.0	0.0	0.2	0.4	0.7
Hodgkin lymphoma	2.8	4.7	2.6	2.0	2.4	1.5	1.0	2.5	2.5	0.2	0.4	0.7	1.0	2.5	2.5	0.2	0.4	0.7
Non-Hodgkin lymphomas	11.0	17.7	5.1	8.6	10.8	3.3	5.6	12.9	5.5	2.6	3.5	1.9	5.6	12.9	5.5	2.6	3.5	1.9
Multiple myeloma	3.4	7.4	4.0	5.8	8.5	3.2	0.8	1.6	1.6	3.8	6.1	2.8	0.8	1.6	1.6	3.8	6.1	2.8
Leukemias	5.8	9.2	3.8	4.2	5.6	2.5	4.4	8.4	3.9	2.0	2.7	1.7	4.4	8.4	3.9	2.0	2.7	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Greenpoint			Incidence			Mortality			Kings (Brooklyn)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	185.4	437.0	28.7		200.8	348.9	21.7		71.0	177.4	18.8		79.2	137.2	13.6
Oral cavity and pharynx	6.8	15.0	5.1		2.8	4.7	2.5		3.0	6.5	3.3		0.4	0.7	1.0
Esophagus	3.4	8.3	4.0		0.8	1.4	1.3		1.8	4.6	3.0		0.8	1.4	1.4
Stomach	6.6	16.2	5.6		4.8	8.4	3.4		3.4	8.9	4.3		3.0	5.2	2.7
Colorectal	28.2	69.0	11.6		27.4	47.3	7.9		9.8	25.5	7.2		9.4	16.0	4.6
Colon excluding rectum	19.4	48.5	9.8		17.0	29.3	6.2		8.4	22.0	6.7		8.0	13.6	4.2
Rectum & rectosigmoid	8.8	20.4	6.2		10.4	18.0	4.9		1.4	3.5	2.6		1.4	2.4	1.7
Liver / intrahepatic bile duct	6.0	13.6	5.0		2.8	4.8	2.5		3.6	8.2	3.9		3.4	6.0	2.9
Pancreas	5.0	12.6	5.0		5.0	8.5	3.3		3.6	9.2	4.3		3.8	6.4	2.9
Larynx	2.6	6.3	3.5		0.8	1.4	1.3		1.2	2.9	2.4		0.6	1.1	1.2
Lung and bronchus	28.0	67.1	11.3		20.4	35.5	6.9		21.2	51.9	10.0		15.8	27.3	6.0
Melanoma of the skin	2.4	4.6	2.7		3.4	5.2	2.5		0.4	0.7	1.0		0.6	1.0	1.2
Female breast					51.4	90.7	11.2						13.6	23.8	5.7
Cervix uteri					8.8	16.1	4.8						2.2	4.0	2.4
Corpus uterus and NOS					14.8	26.3	6.0						2.8	4.9	2.6
Ovary					8.4	14.7	4.4						5.0	8.7	3.4
Prostate	43.2	107.2	14.5						6.6	19.2	6.6				
Testis	1.8	2.7	1.8						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	12.6	31.6	7.9		4.2	7.1	3.0		1.4	3.6	2.7		1.2	2.1	1.6
Kidney and renal pelvis	3.8	9.0	4.1		2.6	4.5	2.5		1.6	3.8	2.7		0.6	1.0	1.1
Brain and other nervous system	4.2	7.8	3.4		4.2	6.8	2.9		0.8	1.6	1.6		1.6	2.7	1.9
Thyroid	1.8	3.1	2.1		5.2	8.8	3.5		0.0	0.0	0.0		0.2	0.3	0.6
Hodgkin lymphoma	2.8	4.8	2.6		2.0	3.4	2.1		0.4	0.9	1.3		0.2	0.3	0.7
Non-Hodgkin lymphomas	7.8	16.9	5.5		7.8	13.4	4.2		2.4	6.1	3.5		2.4	4.1	2.3
Multiple myeloma	1.8	4.6	3.0		2.6	4.6	2.5		1.2	2.9	2.3		1.0	1.8	1.6
Leukemias	5.2	10.9	4.4		4.2	6.7	2.9		2.4	5.5	3.3		2.4	4.1	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Sunset Park Kings (Brooklyn)			Incidence			Mortality			Females		
	Males	Females		Males	Females		Males	Females		Males	Females	
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	184.6	463.2	31.2	200.8	380.8	23.7	73.4	194.9	20.8	71.8	138.8	14.4
Oral cavity and pharynx	8.8	18.5	5.6	3.0	5.4	2.7	2.8	6.0	3.2	1.6	3.1	2.1
Esophagus	3.0	7.5	3.9	1.0	1.9	1.7	1.8	4.9	3.3	0.8	1.6	1.5
Stomach	6.8	17.3	6.1	9.6	18.6	5.3	3.6	8.9	4.3	3.8	7.3	3.3
Colorectal	26.0	67.9	12.1	26.4	50.7	8.7	6.8	19.2	6.7	8.6	16.7	5.0
Colon excluding rectum	19.0	51.4	10.7	19.4	37.4	7.5	5.2	14.8	5.9	7.6	14.8	4.7
Rectum & rectosigmoid	7.0	16.5	5.7	7.0	13.3	4.4	1.6	4.4	3.1	1.0	2.0	1.7
Liver / intrahepatic bile duct	10.4	24.1	6.8	3.4	6.6	3.1	6.2	13.4	4.9	3.6	7.2	3.3
Pancreas	5.4	14.9	5.8	6.0	11.4	4.1	3.0	8.4	4.4	4.0	7.9	3.5
Larynx	3.4	8.2	4.0	0.6	1.1	1.3	2.0	4.8	3.1	0.6	1.1	1.3
Lung and bronchus	29.4	76.7	12.8	19.8	39.1	7.7	23.8	63.5	11.8	13.2	26.0	6.3
Melanoma of the skin	2.6	7.2	4.1	1.8	3.2	2.1	0.4	0.8	1.1	0.0	0.0	0.0
Female breast				50.4	94.6	11.7				10.0	19.3	5.4
Cervix uteri				5.6	10.3	3.8				1.4	2.5	1.9
Corpus uterus and NOS				14.8	28.0	6.4				2.4	4.5	2.5
Ovary				5.4	10.3	3.9				3.2	5.9	2.9
Prostate	37.8	101.4	14.9				6.0	20.3	7.4			
Testis	3.2	4.1	2.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	9.2	27.7	8.3	4.2	8.4	3.6	1.6	5.2	3.7	0.4	0.9	1.2
Kidney and renal pelvis	4.8	10.9	4.5	3.4	6.3	3.0	2.0	5.5	3.5	1.2	2.3	1.8
Brain and other nervous system	3.2	6.5	3.4	2.4	4.4	2.5	1.2	2.9	2.5	1.4	2.6	2.0
Thyroid	1.0	1.9	1.7	7.2	12.3	4.1	0.2	0.4	0.7	0.0	0.0	0.0
Hodgkin lymphoma	2.0	3.9	2.6	1.6	2.8	1.9	0.0	0.0	0.0	0.6	1.1	1.2
Non-Hodgkin lymphomas	7.8	16.8	5.5	8.6	16.6	5.0	2.8	6.4	3.5	3.4	6.5	3.1
Multiple myeloma	1.8	5.2	3.5	2.0	3.9	2.4	0.8	2.1	2.1	1.2	2.3	1.9
Leukemias	2.8	6.0	3.4	5.0	9.5	3.8	1.6	4.0	2.9	2.4	4.7	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Williamsburg - Bushwick			Kings (Brooklyn)			Incidence			Mortality			Mortality		
	Males			Females			Males			Females			Males		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	301.6	547.1	29.3		281.2	329.4	17.4		115.6	227.7	19.7		122.6	148.7	11.8
Oral cavity and pharynx	13.4	22.5	5.7		4.6	5.2	2.1		3.2	5.1	2.6		1.0	1.2	1.1
Esophagus	6.6	12.2	4.4		4.4	5.2	2.2		5.2	9.8	3.9		2.8	3.3	1.7
Stomach	11.2	21.6	6.1		11.4	14.2	3.7		5.2	11.6	4.8		6.4	8.0	2.8
Colorectal	36.2	68.7	10.5		34.2	41.9	6.3		13.4	27.2	6.9		15.0	18.4	4.2
Colon excluding rectum	25.6	50.2	9.1		25.8	32.0	5.6		11.4	23.3	6.4		12.0	14.7	3.8
Rectum & rectosigmoid	10.6	18.5	5.2		8.4	9.9	3.0		2.0	3.9	2.5		3.0	3.6	1.9
Liver / intrahepatic bile duct	8.8	15.4	4.9		5.6	6.5	2.4		6.8	13.2	4.7		4.0	4.8	2.1
Pancreas	6.4	12.8	4.7		8.2	10.1	3.1		4.8	9.7	4.1		6.2	7.8	2.8
Larynx	6.8	11.3	3.9		0.6	0.7	0.8		2.4	3.9	2.3		0.8	1.0	1.0
Lung and bronchus	40.6	74.6	10.8		28.4	34.1	5.6		34.2	64.7	10.2		23.6	28.8	5.2
Melanoma of the skin	1.6	2.6	2.0		0.6	0.7	0.8		0.4	0.6	0.9		0.8	1.0	1.0
Female breast					71.2	83.1	8.7						22.8	27.5	5.1
Cervix uteri					17.8	19.5	4.1						4.8	5.6	2.2
Corpus uterus and NOS					17.2	20.0	4.3						4.2	5.0	2.2
Ovary					6.0	6.7	2.4						3.2	3.7	1.8
Prostate	101.0	193.7	17.7						13.0	31.4	8.0				
Testis	2.4	2.3	1.3						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	5.8	13.7	5.3		4.2	5.2	2.3		1.0	2.4	2.2		2.4	3.0	1.7
Kidney and renal pelvis	7.8	12.4	4.0		6.8	8.1	2.7		2.2	3.8	2.4		2.6	3.0	1.7
Brain and other nervous system	2.4	4.2	2.5		4.8	4.9	2.0		1.0	1.8	1.7		0.8	1.0	1.0
Thyroid	1.2	2.2	1.9		6.2	6.7	2.4		0.2	0.3	0.5		0.8	1.0	1.0
Hodgkin lymphoma	3.6	3.6	1.7		2.4	2.5	1.4		0.4	0.5	0.7		0.2	0.2	0.4
Non-Hodgkin lymphomas	12.8	19.3	5.1		11.2	12.9	3.4		3.2	4.9	2.5		4.0	4.6	2.0
Multiple myeloma	3.8	7.4	3.6		6.4	7.8	2.7		2.8	5.4	3.1		3.4	4.4	2.1
Leukemias	8.2	12.3	4.3		5.8	6.5	2.4		3.4	6.7	3.5		3.2	3.8	1.9

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

*New York (Manhattan)*

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	3558.2	542.9	8.1	3785.6	421.9	6.1	1337.4	220.4	5.4	1462.4	156.9	3.6
Oral cavity and pharynx	117.6	16.9	1.4	57.2	6.3	0.7	29.6	4.5	0.7	14.4	1.5	0.3
Esophagus	55.8	8.7	1.0	29.2	3.1	0.5	45.2	7.1	0.9	21.6	2.3	0.4
Stomach	95.0	15.0	1.4	73.4	8.0	0.8	50.8	8.3	1.0	45.0	4.7	0.6
Colorectal	368.4	58.6	2.7	409.2	44.4	1.9	147.2	24.8	1.8	159.2	16.7	1.2
Colon excluding rectum	260.0	42.2	2.3	311.0	33.5	1.7	125.4	21.4	1.7	136.6	14.3	1.1
Rectum & rectosigmoid	108.4	16.5	1.4	98.2	10.9	1.0	21.8	3.5	0.7	22.6	2.4	0.4
Liver / intrahepatic bile duct	108.0	15.8	1.4	44.8	4.9	0.7	67.6	10.3	1.1	37.4	4.0	0.6
Pancreas	90.8	14.6	1.4	115.6	12.5	1.0	73.0	12.0	1.2	99.6	10.5	0.9
Larynx	50.0	7.6	1.0	16.4	1.9	0.4	18.6	2.9	0.6	6.6	0.7	0.2
Lung and bronchus	441.0	69.2	2.9	454.0	50.0	2.1	326.4	52.5	2.6	318.4	34.4	1.7
Melanoma of the skin	109.2	16.0	1.4	85.0	9.2	0.9	18.0	3.0	0.6	12.2	1.4	0.3
Female breast				1168.2	132.7	3.4				249.0	26.8	1.5
Cervix uteri				85.0	9.7	0.9				30.6	3.5	0.6
Corpus uterus and NOS				225.0	25.4	1.5				44.2	4.9	0.6
Ovary				129.4	14.7	1.1				77.4	8.6	0.9
Prostate	1043.2	160.1	4.4				180.4	32.9	2.2			
Testis	46.8	5.1	0.7				1.6	0.2	0.2			
Urinary bladder (incl. in situ)	189.4	30.8	2.0	86.8	9.4	0.9	42.6	7.5	1.0	24.4	2.4	0.4
Kidney and renal pelvis	116.6	17.5	1.4	70.0	7.8	0.8	26.8	4.3	0.7	15.4	1.6	0.4
Brain and other nervous system	59.2	8.6	1.0	54.4	6.6	0.8	29.0	4.4	0.7	21.6	2.5	0.5
Thyroid	41.2	5.4	0.8	111.8	12.3	1.0	3.0	0.5	0.2	4.2	0.4	0.2
Hodgkin lymphoma	30.4	3.9	0.6	29.8	3.4	0.6	5.6	0.8	0.3	3.8	0.4	0.2
Non-Hodgkin lymphomas	187.6	27.4	1.8	147.8	16.4	1.2	61.8	9.9	1.1	48.8	5.2	0.7
Multiple myeloma	44.2	7.1	1.0	48.6	5.3	0.7	24.6	4.2	0.7	29.6	3.2	0.5
Leukemias	83.8	13.2	1.3	81.4	9.2	0.9	47.2	7.7	1.0	52.0	5.7	0.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Central Harlem - Morningside Heights			Incidence			Mortality			New York (Manhattan)		
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	325.0	609.0	30.1	346.0	410.2	19.5	152.6	306.1	22.1	159.2	183.4	12.9
Oral cavity and pharynx	11.0	19.0	5.1	5.2	6.3	2.5	3.2	5.8	2.9	1.6	2.0	1.4
Esophagus	5.8	11.4	4.2	5.6	6.5	2.4	5.0	9.8	3.9	4.2	4.9	2.1
Stomach	12.4	24.9	6.3	7.6	8.9	2.9	7.2	14.3	4.8	5.0	5.8	2.3
Colorectal	32.2	63.2	9.9	49.2	56.7	7.2	17.4	35.2	7.5	19.0	21.5	4.4
Colon excluding rectum	24.4	48.6	8.7	36.2	41.1	6.0	15.4	31.7	7.2	17.4	19.6	4.2
Rectum & rectosigmoid	7.8	14.6	4.7	13.0	15.7	3.8	2.0	3.6	2.3	1.6	1.9	1.3
Liver / intrahepatic bile duct	11.4	20.4	5.4	4.8	5.7	2.3	6.4	11.6	4.1	4.2	4.6	2.0
Pancreas	8.8	18.0	5.4	11.6	13.0	3.4	7.0	14.0	4.7	10.4	11.6	3.2
Larynx	6.2	11.4	4.1	2.8	3.6	1.9	2.8	5.1	2.7	1.4	1.7	1.2
Lung and bronchus	48.6	93.8	11.9	46.2	54.5	7.1	41.2	81.3	11.2	33.4	38.6	5.9
Melanoma of the skin	1.4	2.5	1.9	0.6	0.7	0.8	0.6	1.5	1.6	0.6	0.7	0.8
Female breast				89.4	108.8	10.2				26.0	30.8	5.4
Cervix uteri				16.2	19.5	4.3				6.0	7.3	2.6
Corpus uterus and NOS				18.6	22.1	4.5				6.6	7.6	2.6
Ovary				10.4	12.6	3.5				7.2	8.6	2.8
Prostate	108.8	207.3	17.6				26.6	59.5	10.2			
Testis	3.2	4.1	2.0				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	8.8	17.7	5.3	6.8	7.7	2.6	2.0	4.2	2.6	2.2	2.4	1.4
Kidney and renal pelvis	9.0	15.9	4.7	9.0	10.9	3.2	2.0	3.4	2.2	1.8	2.0	1.3
Brain and other nervous system	3.0	4.6	2.3	2.6	3.2	1.8	1.2	2.2	1.8	1.8	2.2	1.5
Thyroid	0.6	1.0	1.2	6.6	8.1	2.8	0.2	0.4	0.7	0.4	0.4	0.6
Hodgkin lymphoma	2.0	3.1	2.0	3.4	3.9	1.9	0.8	1.5	1.5	0.4	0.5	0.6
Non-Hodgkin lymphomas	15.2	25.7	5.9	10.4	12.5	3.4	5.0	9.4	3.8	2.2	2.6	1.5
Multiple myeloma	5.8	11.4	4.2	6.0	6.8	2.5	2.4	4.8	2.7	3.4	3.7	1.8
Leukemias	6.6	11.3	4.0	6.2	7.2	2.6	4.8	9.5	3.9	4.4	5.0	2.1

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	Males	Females	Males	Females								
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	325.0	531.7	27.1	300.8	437.5	22.5	105.0	194.6	17.3	108.4	152.4	12.9
Oral cavity and pharynx	9.4	13.9	4.1	4.8	6.9	2.8	2.4	4.0	2.3	0.8	1.1	1.1
Esophagus	3.0	4.8	2.5	2.4	3.4	1.9	2.8	4.5	2.5	1.6	2.4	1.6
Stomach	6.4	11.4	4.1	4.6	6.4	2.6	4.4	8.2	3.6	3.0	4.0	2.1
Colorectal	31.0	53.8	8.8	27.8	38.8	6.5	8.0	16.2	5.2	9.4	12.9	3.7
Colon excluding rectum	21.2	39.0	7.7	21.2	29.4	5.7	7.4	15.0	5.0	8.0	11.1	3.5
Rectum & rectosigmoid	9.8	14.8	4.2	6.6	9.5	3.2	0.6	1.2	1.4	1.4	1.9	1.4
Liver / intrahepatic bile duct	8.6	12.6	3.9	3.4	5.0	2.4	5.8	9.5	3.6	2.2	3.4	2.0
Pancreas	7.4	13.6	4.5	9.8	13.9	3.9	4.8	9.6	3.9	7.0	9.7	3.2
Larynx	5.0	8.2	3.3	1.0	1.5	1.3	1.0	1.7	1.5	0.4	0.6	0.8
Lung and bronchus	39.6	67.8	9.8	39.8	57.4	8.0	30.4	54.5	9.0	29.2	40.9	6.7
Melanoma of the skin	12.8	19.7	5.2	10.8	14.9	4.1	2.4	4.0	2.4	1.0	1.1	1.0
Female breast				91.4	134.6	12.4				17.2	24.2	5.2
Cervix uteri				4.8	6.8	2.8				2.2	3.4	2.0
Corpus uterus and NOS				17.2	25.7	5.5				2.8	4.1	2.2
Ovary				9.4	13.7	4.0				5.2	7.7	3.0
Prostate	82.4	138.1	13.6				9.8	21.6	6.2			
Testis	5.4	6.7	3.2				0.2	0.3	0.5			
Urinary bladder (incl. in situ)	17.6	31.7	6.8	6.4	9.4	3.3	3.4	6.8	3.3	1.6	2.1	1.5
Kidney and renal pelvis	11.6	19.7	5.3	5.8	8.4	3.1	2.4	3.8	2.2	2.2	3.2	1.9
Brain and other nervous system	7.6	13.4	4.9	5.4	8.8	3.6	2.0	3.4	2.3	2.4	3.7	2.1
Thyroid	3.2	4.1	2.0	9.2	12.9	3.8	0.0	0.0	0.0	0.4	0.5	0.7
Hodgkin lymphoma	3.8	4.7	2.2	3.2	4.4	2.2	0.2	0.4	0.8	0.0	0.0	0.0
Non-Hodgkin lymphomas	25.4	36.3	6.6	12.0	18.5	5.0	5.8	9.6	3.7	3.2	4.5	2.2
Multiple myeloma	3.2	6.1	3.1	3.0	4.4	2.3	2.2	4.4	2.7	2.6	3.8	2.1
Leukemias	7.8	14.1	4.8	7.4	10.9	3.6	4.8	9.0	3.8	4.4	6.1	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	New York (Manhattan)		Males	Females	Males	Females						
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	247.0	634.5	35.9	239.4	402.0	23.0	104.6	287.3	25.1	96.6	157.9	14.2
Oral cavity and pharynx	8.8	21.5	6.4	4.2	6.8	2.9	2.0	4.7	2.9	0.8	1.1	1.1
Esophagus	6.4	16.4	5.8	3.0	4.8	2.4	5.0	13.4	5.3	2.2	3.6	2.1
Stomach	10.2	27.3	7.7	7.4	12.1	3.9	4.6	13.1	5.5	3.0	4.6	2.3
Colorectal	21.6	56.8	10.9	33.8	55.4	8.4	11.8	31.3	8.1	11.8	18.5	4.8
Colon excluding rectum	14.4	39.0	9.1	26.4	43.2	7.4	9.4	25.3	7.4	10.2	16.1	4.4
Rectum & rectosigmoid	7.2	17.8	5.9	7.4	12.2	3.9	2.4	6.0	3.4	1.6	2.5	1.7
Liver / intrahepatic bile duct	12.8	31.5	7.8	5.0	8.4	3.3	5.4	14.1	5.4	3.6	6.1	2.8
Pancreas	6.4	17.2	6.1	10.8	17.2	4.6	5.6	14.9	5.6	7.8	12.4	3.9
Larynx	3.4	8.7	4.2	2.6	4.6	2.5	2.6	6.7	3.7	0.8	1.3	1.3
Lung and bronchus	37.0	95.5	13.9	25.4	42.3	7.4	25.4	68.7	12.1	16.8	28.3	6.1
Melanoma of the skin	0.6	1.4	1.6	0.8	1.3	1.3	0.2	0.6	1.1	0.2	0.3	0.6
Female breast				60.2	104.3	11.9				15.2	24.9	5.7
Cervix uteri				8.8	15.9	4.7				3.2	5.6	2.8
Corpus uterus and NOS				13.2	22.6	5.5				3.0	5.2	2.7
Ovary				7.2	11.9	3.9				4.4	7.5	3.2
Prostate	71.4	186.2	19.5				18.2	57.4	12.0			
Testis	1.6	3.1	2.2				0.2	0.5	0.9			
Urinary bladder (incl. in situ)	8.4	24.3	7.5	5.4	8.7	3.3	2.4	6.8	4.0	0.8	1.2	1.2
Kidney and renal pelvis	6.8	16.6	5.6	4.6	7.5	3.1	1.4	3.5	2.6	0.4	0.6	0.8
Brain and other nervous system	2.0	5.1	3.3	2.2	3.8	2.3	0.8	1.9	1.9	0.8	1.3	1.3
Thyroid	1.0	2.0	1.7	3.6	6.3	2.9	0.0	0.0	0.0	0.4	0.7	1.0
Hodgkin lymphoma	2.2	4.6	2.8	3.2	5.8	2.9	0.6	1.3	1.5	0.4	0.7	1.0
Non-Hodgkin lymphomas	14.6	35.6	8.4	8.2	14.0	4.3	3.6	9.1	4.3	3.0	5.2	2.7
Multiple myeloma	3.4	9.4	4.5	5.4	8.7	3.3	2.2	6.1	3.6	3.0	4.8	2.5
Leukemias	5.0	12.0	4.8	5.0	8.3	3.3	2.6	6.6	3.7	2.6	4.4	2.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	Males	Females	Males	Females								
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	356.0	580.6	28.5	375.4	469.2	21.9	118.2	205.5	16.9	129.0	154.6	12.2
Oral cavity and pharynx	12.0	18.8	4.8	5.4	6.4	2.4	2.4	4.3	2.5	1.2	1.4	1.1
Esophagus	4.4	7.2	3.0	2.8	3.2	1.7	5.4	9.1	3.5	1.8	2.1	1.4
Stomach	6.2	9.7	3.5	4.4	5.3	2.2	3.0	5.0	2.6	3.2	3.7	1.8
Colorectal	35.8	58.9	8.8	36.6	44.3	6.5	12.0	21.7	5.6	12.8	15.3	3.8
Colon excluding rectum	25.0	42.2	7.5	28.6	34.3	5.7	10.4	19.1	5.3	11.0	13.1	3.5
Rectum & rectosigmoid	10.8	16.7	4.5	8.0	10.0	3.1	1.6	2.6	1.9	1.8	2.2	1.4
Liver / intrahepatic bile duct	8.0	13.9	4.8	2.6	3.3	1.8	4.8	7.9	3.2	2.0	2.4	1.5
Pancreas	10.6	17.5	4.8	8.6	10.4	3.1	7.8	13.2	4.2	8.8	10.5	3.1
Larynx	3.2	5.1	2.5	1.8	2.2	1.5	0.6	0.9	1.0	0.6	0.7	0.8
Lung and bronchus	36.4	58.3	8.6	52.8	63.9	7.7	23.2	38.5	7.1	33.4	40.1	6.1
Melanoma of the skin	18.6	29.4	6.1	11.2	13.7	3.7	3.6	6.1	2.9	1.4	1.7	1.3
Female breast				114.6	145.9	12.1				20.8	24.6	4.8
Cervix uteri				5.8	7.5	2.8				1.8	2.2	1.4
Corpus uterus and NOS				26.0	32.0	5.5				2.4	2.9	1.6
Ovary				13.0	16.7	4.1				8.0	9.9	3.1
Prostate	98.2	154.2	13.8				15.0	28.6	6.5			
Testis	5.8	6.8	2.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	24.4	41.0	7.4	11.6	14.2	3.7	5.4	9.7	3.7	2.4	2.7	1.6
Kidney and renal pelvis	13.6	21.4	5.2	7.8	9.7	3.2	2.2	3.4	2.1	1.0	1.2	1.0
Brain and other nervous system	11.0	26.4	9.0	6.4	11.7	5.6	3.6	6.1	2.9	1.4	1.6	1.2
Thyroid	6.4	9.0	3.2	11.4	13.8	3.7	0.4	0.7	1.0	0.6	0.7	0.8
Hodgkin lymphoma	1.8	2.5	1.7	1.2	1.3	1.1	0.4	0.5	0.8	0.4	0.4	0.6
Non-Hodgkin lymphomas	18.8	30.1	6.2	15.0	18.5	4.2	6.0	10.3	3.8	5.4	6.3	2.4
Multiple myeloma	5.0	8.5	3.4	3.8	4.8	2.2	2.6	4.8	2.7	1.2	1.4	1.2
Leukemias	9.6	16.9	5.4	7.6	10.2	3.4	5.8	10.1	3.8	5.6	7.5	3.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Greenwich Village - Soho												
New York (Manhattan)	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	184.4	466.5	31.4	176.4	396.1	26.5	62.0	175.4	20.3	62.8	142.8	15.9
Oral cavity and pharynx	7.0	15.2	5.1	2.2	4.6	2.8	0.8	2.5	2.5	0.0	0.0	0.0
Esophagus	3.2	7.6	3.8	1.0	2.2	1.9	2.8	6.7	3.6	0.0	0.0	0.0
Stomach	3.0	8.2	4.3	2.4	5.4	3.1	1.0	2.7	2.5	1.0	2.3	2.0
Colorectal	18.0	49.5	10.7	17.6	40.8	8.6	5.0	14.2	5.7	5.8	13.1	4.8
Colon excluding rectum	12.8	36.5	9.3	12.4	29.0	7.2	4.4	12.7	5.5	4.6	10.3	4.2
Rectum & rectosigmoid	5.2	13.1	5.2	5.2	11.8	4.6	0.6	1.4	1.6	1.2	2.8	2.3
Liver / intrahepatic bile duct	5.6	13.5	5.1	2.4	5.5	3.1	4.0	9.6	4.3	1.4	3.1	2.3
Pancreas	4.0	10.2	4.6	4.6	10.3	4.2	3.2	7.9	4.0	3.8	8.6	3.9
Larynx	2.6	6.7	3.8	0.4	0.9	1.3	1.4	3.8	2.9	0.4	0.8	1.1
Lung and bronchus	28.0	77.4	13.3	21.8	50.2	9.5	20.2	59.3	12.0	19.8	45.5	9.0
Melanoma of the skin	5.8	13.8	5.4	7.0	14.2	4.8	1.2	3.0	2.5	1.2	2.6	2.1
Female breast				59.8	133.6	15.2				11.0	25.5	6.8
Cervix uteri				2.4	5.0	2.9				1.0	2.1	1.9
Corpus uterus and NOS				10.6	23.5	6.3				1.8	4.0	2.6
Ovary				6.0	13.8	5.0				2.8	6.3	3.3
Prostate	48.4	122.2	15.8				6.6	21.3	7.4			
Testis	3.4	6.3	3.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	8.2	23.2	7.3	3.2	6.9	3.4	1.4	4.0	3.1	0.6	1.3	1.4
Kidney and renal pelvis	5.8	13.9	5.3	1.8	4.0	2.6	0.2	0.8	1.5	0.2	0.5	1.0
Brain and other nervous system	2.8	6.5	3.7	2.6	7.2	4.4	1.6	4.4	3.3	0.6	1.4	1.6
Thyroid	2.4	4.7	2.8	7.0	15.9	5.5	0.0	0.0	0.0	0.2	0.5	0.9
Hodgkin lymphoma	1.4	3.1	2.3	0.4	0.8	1.1	0.0	0.0	0.0	0.0	0.0	0.0
Non-Hodgkin lymphomas	11.4	25.9	6.9	6.4	14.8	5.3	2.8	7.1	3.9	1.6	3.5	2.4
Multiple myeloma	2.6	7.7	4.4	1.0	2.2	2.0	1.0	2.8	2.5	0.6	1.4	1.6
Leukemias	4.6	14.3	6.4	4.0	8.7	3.9	1.6	5.1	3.9	2.6	6.0	3.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Lower Manhattan			Incidence			Mortality			New York (Manhattan)		
	Males	Females	Males	Females	Males	Females	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	63.4	531.6	60.2	62.4	384.6	43.7	21.6	195.5	37.6	28.6	172.9	28.9
Oral cavity and pharynx	1.8	15.2	10.2	0.6	3.7	4.4	0.8	6.5	6.4	0.2	1.5	2.9
Esophagus	0.6	5.3	6.1	0.4	2.4	3.4	0.8	7.1	7.0	0.4	3.0	4.1
Stomach	2.2	20.2	12.0	2.0	11.3	7.1	1.2	11.6	9.3	1.6	9.2	6.5
Colorectal	7.8	67.6	21.8	8.4	50.8	15.6	2.4	22.6	12.9	4.0	24.0	10.7
Colon excluding rectum	5.4	48.8	18.9	6.2	37.0	13.2	2.0	20.0	12.4	3.4	20.3	9.8
Rectum & rectosigmoid	2.4	18.9	10.9	2.2	13.8	8.3	0.4	2.6	3.7	0.6	3.8	4.3
Liver / intrahepatic bile duct	2.8	21.8	11.7	0.6	3.6	4.2	2.0	17.0	10.7	0.4	2.5	3.4
Pancreas	1.4	12.0	9.1	1.6	9.1	6.3	0.6	5.8	6.6	0.8	4.2	4.1
Larynx	0.4	3.7	5.2	0.0	0.0	0.0	0.2	1.9	3.7	0.2	1.0	2.0
Lung and bronchus	9.6	85.4	24.6	8.0	48.5	15.2	4.6	43.2	17.9	7.8	47.0	14.9
Melanoma of the skin	2.8	19.2	10.6	1.2	6.7	5.5	0.2	2.0	3.9	0.4	2.5	3.4
Female breast				14.4	92.1	21.5				3.4	20.6	9.9
Cervix uteri				0.6	3.9	4.5				0.6	3.8	4.4
Corpus uterus and NOS				4.0	26.3	11.7				1.2	6.6	5.4
Ovary				2.2	13.3	7.9				0.8	4.8	4.7
Prostate	15.4	136.5	30.8				2.0	20.4	12.7			
Testis	2.0	8.8	5.8				0.2	0.9	1.8			
Urinary bladder (incl. in situ)	4.0	36.3	16.1	2.0	11.2	7.1	0.6	5.4	6.3	0.4	1.8	2.5
Kidney and renal pelvis	1.6	13.3	9.4	1.0	6.3	5.5	0.8	7.1	7.0	0.2	1.2	2.4
Brain and other nervous system	0.8	6.2	6.5	1.4	9.9	8.2	1.0	7.1	6.4	0.2	1.5	2.9
Thyroid	0.2	1.7	3.4	2.6	14.2	8.0	0.0	0.0	0.0	0.2	1.2	2.4
Hodgkin lymphoma	0.8	5.4	6.4	0.0	0.0	0.0	0.2	0.7	1.3	0.0	0.0	0.0
Non-Hodgkin lymphomas	3.6	28.6	13.7	4.0	24.4	10.8	1.0	8.9	8.0	1.8	11.1	7.4
Multiple myeloma	0.8	6.4	6.4	0.6	3.9	4.5	0.2	2.1	4.2	0.4	2.3	3.2
Leukemias	1.4	12.3	9.2	1.8	13.5	9.8	1.0	9.8	8.6	1.2	9.0	8.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	New York (Manhattan)			Males			Females			Males		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	438.6	506.2	21.4	453.0	393.1	16.4	189.8	229.2	14.7	176.2	143.3	9.6
Oral cavity and pharynx	18.8	20.4	4.2	7.8	6.7	2.1	6.6	7.3	2.5	1.8	1.4	0.9
Esophagus	6.4	7.5	2.6	2.6	2.2	1.2	7.4	8.7	2.8	2.2	1.8	1.1
Stomach	18.8	21.8	4.4	14.4	12.1	2.8	10.0	11.9	3.3	8.0	6.4	2.0
Colorectal	54.6	65.2	7.8	57.4	48.0	5.6	21.0	25.9	5.0	22.6	17.9	3.3
Colon excluding rectum	39.0	46.9	6.6	44.8	37.1	4.9	17.8	22.0	4.6	18.8	14.9	3.0
Rectum & rectosigmoid	15.6	18.3	4.1	12.6	10.9	2.7	3.2	3.8	1.9	3.8	3.0	1.4
Liver / intrahepatic bile duct	22.2	24.0	4.5	8.2	6.9	2.1	15.2	17.4	3.9	6.6	5.4	1.9
Pancreas	9.6	11.6	3.3	14.0	11.0	2.6	7.8	9.5	3.0	12.6	9.6	2.4
Larynx	6.4	7.3	2.5	2.4	2.2	1.3	1.4	1.7	1.3	0.0	0.0	0.0
Lung and bronchus	65.2	78.3	8.5	52.6	43.6	5.3	51.2	62.4	7.7	36.0	28.7	4.2
Melanoma of the skin	11.6	12.5	3.3	7.8	6.8	2.2	1.6	1.9	1.3	2.2	1.8	1.1
Female breast				127.6	115.0	9.0				26.6	22.0	3.8
Cervix uteri				11.6	10.8	2.8				3.0	2.6	1.3
Corpus uterus and NOS				26.4	23.4	4.0				4.6	3.8	1.6
Ovary				14.0	12.8	3.0				8.4	7.3	2.2
Prostate	97.0	114.7	10.2				19.2	24.7	5.0			
Testis	3.8	2.8	1.3				0.4	0.4	0.5			
Urinary bladder (incl. in situ)	25.4	31.0	5.4	10.0	8.3	2.3	6.8	8.4	2.8	3.0	2.4	1.2
Kidney and renal pelvis	12.0	14.4	3.7	10.6	8.9	2.4	3.0	3.9	2.0	2.8	2.2	1.2
Brain and other nervous system	6.4	6.9	2.5	7.0	6.8	2.3	3.0	3.3	1.7	2.8	2.8	1.5
Thyroid	5.4	4.9	1.9	14.0	12.3	2.9	0.4	0.5	0.7	0.2	0.2	0.3
Hodgkin lymphoma	2.6	2.3	1.3	3.4	2.8	1.3	0.4	0.5	0.7	0.0	0.0	0.0
Non-Hodgkin lymphomas	23.4	25.3	4.7	17.0	14.4	3.1	10.2	11.8	3.3	6.2	5.2	1.8
Multiple myeloma	5.2	6.2	2.4	6.0	4.9	1.8	2.6	3.2	1.7	3.0	2.5	1.3
Leukemias	11.4	13.5	3.6	11.4	10.2	2.8	5.8	6.9	2.5	5.6	4.7	1.8

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Upper East Side				New York (Manhattan)				Incidence				Mortality			
	Males				Females				Males				Females			
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	598.6	572.5	21.1		720.8	493.4	16.5		176.8	179.6	12.0		239.2	157.2	9.2	
Oral cavity and pharynx	18.4	16.9	3.5		8.8	5.7	1.7		4.2	4.0	1.7		2.2	1.3	0.8	
Esophagus	7.0	6.9	2.3		4.6	2.9	1.2		3.2	3.1	1.5		2.2	1.3	0.8	
Stomach	11.2	11.3	3.0		7.8	5.2	1.7		5.0	5.4	2.1		6.0	3.8	1.4	
Colorectal	60.0	58.5	6.7		60.0	39.0	4.5		22.4	22.9	4.3		21.8	13.9	2.7	
Colon excluding rectum	45.0	44.4	5.9		45.6	29.4	3.9		20.0	20.5	4.1		18.0	11.5	2.4	
Rectum & rectosigmoid	15.0	14.1	3.2		14.4	9.5	2.2		2.4	2.5	1.4		3.8	2.4	1.1	
Liver / intrahepatic bile duct	10.0	9.8	2.7		5.6	3.5	1.3		4.0	3.9	1.7		4.2	2.9	1.3	
Pancreas	17.6	17.1	3.6		20.6	13.8	2.7		15.2	15.2	3.5		18.6	12.3	2.6	
Larynx	7.8	7.4	2.4		2.0	1.4	0.9		2.2	2.1	1.3		1.6	1.1	0.7	
Lung and bronchus	65.8	63.4	7.0		87.4	58.7	5.6		37.0	35.8	5.2		55.6	37.1	4.4	
Melanoma of the skin	33.2	31.3	4.9		25.0	17.1	3.1		4.4	4.6	1.9		2.2	1.7	1.0	
Female breast					260.0	179.9	10.0						48.6	31.5	4.0	
Cervix uteri					8.4	5.7	1.8						2.2	1.6	0.9	
Corpus uterus and NOS					40.8	27.8	3.9						6.4	4.3	1.5	
Ovary					27.8	19.0	3.2						14.4	10.1	2.4	
Prostate	170.0	156.2	10.6						23.4	26.2	4.8					
Testis	10.0	9.0	2.8						0.0	0.0	0.0					
Urinary bladder (incl. in situ)	47.4	46.3	6.0		20.2	13.3	2.6		6.8	7.2	2.5		4.8	2.8	1.2	
Kidney and renal pelvis	22.6	21.1	3.9		9.8	6.6	1.9		5.4	5.4	2.1		2.4	1.6	0.9	
Brain and other nervous system	8.8	9.4	3.1		11.2	9.0	2.6		4.0	3.9	1.7		4.0	3.0	1.3	
Thyroid	10.2	9.3	2.7		22.0	15.4	3.0		0.8	0.7	0.6		0.4	0.2	0.4	
Hodgkin lymphoma	5.0	5.1	2.3		4.4	4.1	2.1		1.0	0.9	0.8		0.8	0.9	1.1	
Non-Hodgkin lymphomas	27.4	27.8	4.9		29.2	19.8	3.3		9.4	9.8	2.9		9.8	6.2	1.8	
Multiple myeloma	6.0	5.9	2.2		5.2	3.5	1.4		3.4	3.7	1.8		4.0	2.6	1.1	
Leukemias	16.4	17.9	4.0		13.0	8.9	2.3		7.2	7.1	2.3		7.4	4.8	1.7	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Upper West Side				New York (Manhattan)				Incidence				Mortality			
	Males				Females				Males				Females			
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	527.6	524.9	20.5		613.0	441.9	15.9		179.0	195.7	13.1		213.4	145.3	8.9	
Oral cavity and pharynx	16.0	14.6	3.3		9.6	7.0	2.0		2.4	2.3	1.3		3.6	2.3	1.1	
Esophagus	9.4	9.8	2.9		3.8	2.3	1.1		5.2	5.6	2.2		3.4	2.1	1.0	
Stomach	11.8	12.9	3.4		8.6	6.2	1.9		4.0	4.3	1.9		4.2	2.6	1.2	
Colorectal	58.4	60.6	7.1		62.4	43.7	4.9		22.6	25.3	4.8		23.8	15.7	2.9	
Colon excluding rectum	39.8	42.0	6.0		47.0	32.5	4.2		18.0	20.5	4.3		21.2	13.9	2.7	
Rectum & rectosigmoid	18.6	18.6	3.9		15.4	11.2	2.5		4.6	4.8	2.0		2.6	1.8	1.0	
Liver / intrahepatic bile duct	12.2	11.5	2.9		5.2	3.6	1.4		7.6	7.6	2.5		4.2	2.8	1.2	
Pancreas	13.6	14.7	3.6		19.0	13.3	2.7		9.0	10.1	3.0		16.0	10.7	2.4	
Larynx	5.4	5.4	2.1		2.4	1.7	1.0		3.0	3.2	1.6		1.0	0.5	0.5	
Lung and bronchus	56.8	58.0	6.9		67.2	48.6	5.3		37.6	39.2	5.7		41.8	29.3	4.0	
Melanoma of the skin	20.4	19.5	3.9		18.6	13.4	2.8		2.6	2.5	1.4		1.8	1.3	0.9	
Female breast					203.0	149.1	9.3						39.0	26.8	3.8	
Cervix uteri					8.4	6.1	1.9						1.8	1.3	0.9	
Corpus uterus and NOS					35.4	25.7	3.8						6.4	4.7	1.7	
Ovary					25.0	17.8	3.2						15.2	10.4	2.4	
Prostate	161.2	157.5	11.1						23.6	28.3	5.2					
Testis	7.8	6.3	2.0						0.2	0.3	0.6					
Urinary bladder (incl. in situ)	28.0	29.0	4.9		13.8	9.7	2.3		8.0	9.3	2.9		3.8	2.5	1.2	
Kidney and renal pelvis	19.8	19.0	3.8		10.0	7.2	2.0		5.4	5.4	2.1		2.2	1.5	0.9	
Brain and other nervous system	9.0	9.5	2.9		7.6	6.1	2.1		6.2	6.1	2.2		3.2	2.6	1.3	
Thyroid	7.6	6.7	2.2		20.4	14.2	2.8		0.4	0.4	0.5		0.6	0.3	0.4	
Hodgkin lymphoma	4.8	4.5	1.9		7.2	6.1	2.2		1.2	1.1	0.9		1.0	0.8	0.7	
Non-Hodgkin lymphomas	28.2	27.5	4.7		26.4	18.4	3.2		9.6	10.9	3.2		7.6	5.0	1.6	
Multiple myeloma	4.0	3.7	1.7		7.8	5.4	1.7		2.6	2.9	1.6		4.2	2.6	1.2	
Leukemias	11.8	12.2	3.2		13.2	9.9	2.5		7.0	7.7	2.6		8.6	5.9	1.8	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	New York (Manhattan)			Incidence			Mortality			Females		
	Males	Females		Males	Females		Males	Females		Males	Females	
All Invasive Malignant Tumors	482.0	523.0	21.6	484.6	347.6	13.9	163.4	196.4	13.9	183.0	128.1	8.4
Oral cavity and pharynx	14.2	14.6	3.5	8.2	5.9	1.8	3.8	4.1	1.9	1.8	1.2	0.8
Esophagus	9.6	10.7	3.1	2.8	2.1	1.1	6.0	6.9	2.6	2.2	1.5	0.9
Stomach	12.4	12.9	3.3	13.2	9.5	2.3	5.8	6.8	2.5	7.4	5.1	1.7
Colorectal	48.8	56.3	7.3	54.6	38.9	4.6	19.4	25.3	5.2	20.8	14.2	2.8
Colon excluding rectum	33.0	38.9	6.1	41.4	29.6	4.0	16.6	21.8	4.8	17.4	11.8	2.5
Rectum & rectosigmoid	15.8	17.4	4.0	13.2	9.3	2.3	2.8	3.5	1.9	3.4	2.4	1.2
Liver / intrahepatic bile duct	14.4	15.3	3.6	6.8	4.9	1.6	9.2	9.7	2.9	6.6	4.7	1.6
Pancreas	11.2	12.9	3.5	14.8	10.7	2.4	7.8	9.2	3.0	10.2	7.2	2.0
Larynx	9.4	11.0	3.2	1.0	0.7	0.7	2.6	3.4	1.9	0.2	0.1	0.3
Lung and bronchus	52.4	58.1	7.2	51.8	37.3	4.6	37.6	43.6	6.4	32.8	23.3	3.6
Melanoma of the skin	2.2	2.4	1.5	2.0	1.4	0.9	0.4	0.6	0.9	1.0	0.8	0.7
Female breast				142.8	102.9	7.6				30.8	21.4	3.4
Cervix uteri				17.6	12.7	2.7				6.2	4.5	1.6
Corpus uterus and NOS				31.6	23.0	3.6				6.0	4.1	1.5
Ovary				14.2	10.2	2.4				7.4	5.4	1.7
Prostate	186.6	205.8	13.5				27.8	37.8	6.4			
Testis	3.6	2.6	1.2				0.4	0.3	0.5			
Urinary bladder (incl. in situ)	16.4	19.4	4.3	7.4	5.2	1.7	4.2	5.9	2.6	3.2	2.2	1.1
Kidney and renal pelvis	13.4	14.0	3.4	9.4	6.7	1.9	2.8	3.0	1.6	2.0	1.3	0.8
Brain and other nervous system	7.6	6.5	2.1	8.0	5.8	1.8	4.2	4.0	1.8	3.2	2.3	1.1
Thyroid	4.2	3.7	1.6	14.6	10.3	2.4	0.6	0.6	0.6	0.6	0.4	0.5
Hodgkin lymphoma	5.8	4.7	1.8	3.4	2.3	1.1	0.6	0.6	0.7	0.6	0.4	0.4
Non-Hodgkin lymphomas	19.2	18.7	3.9	18.6	13.3	2.7	6.0	6.6	2.5	6.6	4.6	1.6
Multiple myeloma	8.2	9.5	3.0	9.2	6.6	1.9	3.8	4.7	2.2	5.0	3.5	1.4
Leukemias	8.8	9.5	2.9	11.6	8.2	2.1	5.0	5.5	2.3	8.0	5.6	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence						Mortality					
	Males			Females			Males			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	4636.2	490.5	6.4	4846.4	371.0	4.7	1736.2	190.1	4.0	1818.0	134.3	2.8
Oral cavity and pharynx	130.0	13.2	1.0	66.6	5.2	0.6	29.6	3.1	0.5	12.4	0.9	0.2
Esophagus	63.8	6.7	0.7	30.2	2.2	0.4	52.2	5.6	0.7	19.4	1.4	0.3
Stomach	163.4	17.7	1.2	120.6	8.9	0.7	82.4	9.0	0.9	67.4	4.9	0.5
Colorectal	593.8	63.9	2.3	633.4	46.6	1.6	209.0	23.1	1.4	219.8	15.8	0.9
Colon excluding rectum	409.4	44.4	1.9	468.4	34.2	1.4	179.0	19.9	1.3	195.0	14.0	0.9
Rectum & rectosigmoid	184.4	19.5	1.3	165.0	12.3	0.8	30.0	3.2	0.5	24.8	1.8	0.3
Liver / intrahepatic bile duct	121.8	12.4	1.0	58.0	4.3	0.5	84.2	8.9	0.9	44.0	3.2	0.4
Pancreas	126.0	13.7	1.1	147.4	10.6	0.8	105.6	11.5	1.0	116.2	8.3	0.7
Larynx	65.2	6.9	0.8	16.4	1.2	0.3	22.2	2.4	0.4	5.2	0.4	0.2
Lung and bronchus	641.2	69.0	2.4	533.2	39.9	1.5	470.2	51.1	2.1	369.4	27.4	1.3
Melanoma of the skin	74.4	7.9	0.8	78.4	6.0	0.6	17.4	1.9	0.4	16.6	1.3	0.3
Female breast				1383.6	108.5	2.6				322.2	24.2	1.2
Cervix uteri				121.2	9.8	0.8				36.0	2.9	0.4
Corpus uterus and NOS				317.8	24.6	1.2				64.8	4.9	0.5
Ovary				185.0	14.4	0.9				100.0	7.5	0.7
Prostate	1350.2	143.2	3.4				193.4	22.8	1.4			
Testis	41.0	3.5	0.5				2.8	0.3	0.1			
Urinary bladder (incl. in situ)	286.0	31.8	1.7	121.2	8.8	0.7	56.2	6.4	0.8	26.6	1.9	0.3
Kidney and renal pelvis	156.8	16.2	1.1	93.2	7.1	0.6	37.6	4.0	0.6	21.4	1.6	0.3
Brain and other nervous system	67.2	6.7	0.7	64.0	5.1	0.6	34.8	3.5	0.5	35.0	2.7	0.4
Thyroid	40.8	3.9	0.5	144.2	11.8	0.9	4.6	0.5	0.2	7.2	0.5	0.2
Hodgkin lymphoma	32.2	2.9	0.5	27.0	2.3	0.4	3.8	0.4	0.2	4.0	0.3	0.1
Non-Hodgkin lymphomas	192.0	19.6	1.3	182.2	13.9	0.9	78.8	8.5	0.8	67.0	4.9	0.5
Multiple myeloma	62.0	6.6	0.7	67.2	5.0	0.5	26.0	2.8	0.5	35.0	2.5	0.4
Leukemias	125.6	13.2	1.0	111.8	8.6	0.7	69.0	7.4	0.8	63.2	4.7	0.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Queens			Bayside - Little Neck			Incidence			Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	242.6	504.2	28.5		261.2	422.4	23.5		92.0	191.2	17.6		94.2	139.6	12.9
Oral cavity and pharynx	6.0	12.6	4.5		3.8	6.3	2.9		1.2	2.5	2.0		0.2	0.3	0.5
Esophagus	2.2	4.5	2.7		1.8	2.7	1.8		1.8	3.7	2.4		0.8	1.1	1.1
Stomach	8.8	18.6	5.5		3.8	5.8	2.7		3.8	8.2	3.7		2.6	4.0	2.2
Colorectal	33.8	69.7	10.5		33.0	47.8	7.4		11.6	24.1	6.2		13.6	18.5	4.5
Colon excluding rectum	22.2	46.0	8.6		24.6	35.6	6.4		9.6	19.9	5.7		12.2	16.5	4.2
Rectum & rectosigmoid	11.6	23.7	6.1		8.4	12.2	3.8		2.0	4.2	2.6		1.4	2.0	1.5
Liver / intrahepatic bile duct	6.6	13.8	4.7		2.8	4.0	2.1		5.0	10.3	4.1		1.6	2.1	1.5
Pancreas	6.0	12.4	4.5		6.6	9.3	3.2		5.4	11.5	4.4		7.2	10.4	3.5
Larynx	3.8	7.8	3.5		1.0	1.4	1.3		1.4	2.8	2.1		0.2	0.2	0.4
Lung and bronchus	33.2	68.4	10.4		25.2	37.6	6.7		24.4	50.1	8.9		18.2	26.5	5.5
Melanoma of the skin	5.0	10.5	4.1		7.6	13.0	4.2		0.8	1.7	1.7		0.8	1.1	1.1
Female breast					83.4	140.4	13.7						15.2	24.0	5.5
Cervix uteri					2.8	5.1	2.8						0.4	0.7	1.0
Corpus uterus and NOS					18.8	30.9	6.3						2.6	3.8	2.1
Ovary					7.4	12.3	4.0						6.4	9.9	3.5
Prostate	63.6	131.4	14.5						10.2	21.8	6.0				
Testis	2.2	5.2	3.1						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	20.2	41.8	8.2		6.8	9.7	3.3		3.8	7.8	3.5		1.0	1.3	1.1
Kidney and renal pelvis	10.6	22.1	6.0		6.8	11.5	4.0		2.6	5.3	2.9		1.2	1.8	1.5
Brain and other nervous system	3.6	7.8	3.7		3.2	6.2	3.3		1.6	3.3	2.3		2.0	3.3	2.1
Thyroid	2.0	4.2	2.6		9.2	18.6	5.5		0.0	0.0	0.0		0.4	0.5	0.7
Hodgkin lymphoma	1.4	3.0	2.3		1.4	2.8	2.1		0.2	0.4	0.7		0.6	1.3	1.4
Non-Hodgkin lymphomas	8.4	17.8	5.4		8.4	13.3	4.1		4.0	8.1	3.6		4.0	6.0	2.7
Multiple myeloma	3.0	6.0	3.0		3.0	4.6	2.4		1.6	3.3	2.3		1.8	2.4	1.5
Leukemias	7.0	14.8	4.9		6.8	11.4	4.1		4.6	9.6	3.9		3.8	5.8	2.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Queens			Incidence			Males			Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	614.6	469.6	16.6		666.0	380.6	13.2		231.0	177.9	10.3		236.6	125.7	7.3
Oral cavity and pharynx	17.2	13.0	2.8		9.6	5.8	1.7		3.2	2.4	1.2		1.2	0.7	0.6
Esophagus	6.2	4.8	1.7		3.2	1.7	0.8		5.8	4.4	1.6		3.0	1.5	0.8
Stomach	27.4	21.1	3.5		19.4	10.4	2.1		13.4	10.2	2.5		8.6	4.4	1.4
Colorectal	79.0	60.5	6.0		90.6	47.4	4.5		28.4	22.1	3.6		26.8	13.5	2.3
Colon excluding rectum	53.2	40.9	4.9		67.8	34.6	3.8		24.6	19.1	3.4		23.2	11.7	2.2
Rectum & rectosigmoid	25.8	19.5	3.4		22.8	12.8	2.4		3.8	2.9	1.3		3.6	1.8	0.9
Liver / intrahepatic bile duct	22.2	16.8	3.1		10.0	5.6	1.6		13.8	10.4	2.5		7.8	4.1	1.3
Pancreas	18.8	14.3	2.9		21.4	10.6	2.1		14.8	11.3	2.6		14.6	7.2	1.7
Larynx	8.8	6.6	2.0		2.4	1.4	0.8		1.4	1.1	0.8		0.6	0.3	0.4
Lung and bronchus	89.8	68.6	6.4		65.8	35.4	3.9		62.0	47.3	5.3		48.2	25.7	3.3
Melanoma of the skin	10.6	8.2	2.2		9.8	6.1	1.7		1.8	1.4	0.9		2.0	1.0	0.7
Female breast					195.2	116.3	7.4						38.8	21.4	3.1
Cervix uteri					13.4	8.7	2.1						4.6	2.7	1.1
Corpus uterus and NOS					40.6	23.8	3.3						9.2	5.0	1.5
Ovary					21.6	13.3	2.6						12.0	6.6	1.7
Prostate	150.6	114.1	8.2						20.4	16.4	3.2				
Testis	4.4	3.3	1.4						0.2	0.2	0.3				
Urinary bladder (incl. in situ)	48.6	37.6	4.7		17.0	8.6	1.9		7.4	5.9	1.9		3.8	1.8	0.8
Kidney and renal pelvis	21.8	16.4	3.1		11.2	6.5	1.7		5.6	4.2	1.6		1.8	1.0	0.7
Brain and other nervous system	8.6	6.9	2.1		9.4	5.8	1.7		4.6	3.6	1.5		4.8	2.9	1.2
Thyroid	8.8	6.6	1.9		20.2	13.5	2.7		0.8	0.6	0.6		1.0	0.6	0.5
Hodgkin lymphoma	4.4	3.5	1.5		3.6	2.9	1.4		1.0	0.8	0.7		0.8	0.5	0.5
Non-Hodgkin lymphomas	23.8	18.2	3.3		28.0	15.9	2.7		11.0	8.5	2.2		11.0	5.8	1.6
Multiple myeloma	6.4	4.9	1.7		7.6	4.4	1.4		2.4	1.8	1.0		4.0	2.2	1.0
Leukemias	18.2	14.2	2.9		19.6	11.1	2.3		13.6	10.5	2.5		11.2	6.1	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Queens			Incidence			Males			Mortality		
	Males	Females		Males	Females		Males	Females		Males	Females	
All Invasive Malignant Tumors	222.0	486.9	28.7	248.2	411.3	23.3	85.6	186.0	17.7	93.8	145.7	13.4
Oral cavity and pharynx	5.2	11.9	4.6	2.4	4.1	2.4	1.6	3.5	2.4	0.4	0.8	1.1
Esophagus	3.6	7.9	3.7	0.6	0.9	1.0	2.2	4.6	2.7	0.0	0.0	0.0
Stomach	7.2	15.8	5.2	5.8	9.3	3.4	5.0	10.9	4.3	2.0	3.1	2.0
Colorectal	31.4	68.4	10.7	33.4	51.5	7.9	9.2	19.7	5.7	12.8	19.1	4.7
Colon excluding rectum	23.6	51.4	9.3	25.0	38.0	6.7	7.4	15.9	5.1	10.8	16.1	4.3
Rectum & rectosigmoid	7.8	17.0	5.3	8.4	13.5	4.2	1.8	3.8	2.5	2.0	3.0	1.9
Liver / intrahepatic bile duct	6.0	13.2	4.7	3.0	4.7	2.4	5.0	10.9	4.3	2.2	3.3	2.0
Pancreas	8.2	17.8	5.5	6.4	10.0	3.5	7.2	15.7	5.1	5.0	7.4	2.9
Larynx	2.4	5.3	3.0	0.4	0.6	0.9	0.0	0.0	0.0	0.2	0.3	0.5
Lung and bronchus	29.8	65.6	10.6	30.2	47.3	7.6	24.0	52.6	9.4	22.2	34.2	6.4
Melanoma of the skin	5.2	11.2	4.3	4.4	7.5	3.2	1.0	2.2	1.9	1.0	1.5	1.3
Female breast				71.6	125.3	13.2				15.0	24.6	5.7
Cervix uteri				4.2	7.1	3.1				0.4	0.8	1.1
Corpus uterus and NOS				13.6	23.3	5.6				2.6	4.3	2.4
Ovary				11.2	19.2	5.1				4.4	7.2	3.0
Prostate	57.8	127.3	14.7				7.6	16.3	5.2			
Testis	1.8	4.0	2.6				0.2	0.4	0.9			
Urinary bladder (incl. in situ)	18.0	39.1	8.1	6.8	10.7	3.6	3.0	6.8	3.4	1.2	1.6	1.3
Kidney and renal pelvis	9.4	20.1	5.8	6.2	9.5	3.4	2.6	5.4	3.0	0.4	0.5	0.8
Brain and other nervous system	3.2	7.2	3.5	4.2	6.8	2.9	2.2	5.0	2.9	3.4	5.3	2.6
Thyroid	1.4	3.1	2.3	7.8	15.2	4.8	0.2	0.5	1.0	1.0	1.8	1.6
Hodgkin lymphoma	1.0	2.3	2.0	1.4	2.8	2.1	0.0	0.0	0.0	0.2	0.3	0.5
Non-Hodgkin lymphomas	7.8	16.6	5.2	11.6	18.1	4.7	4.4	9.4	3.9	5.0	7.6	3.0
Multiple myeloma	2.2	4.9	2.9	2.2	3.6	2.2	1.4	3.0	2.2	2.8	4.3	2.3
Leukemias	5.4	11.8	4.5	4.4	7.0	3.1	2.8	5.8	3.1	3.4	5.1	2.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Jamaica			Queens			Incidence			Mortality			Mortality		
	Males			Females			Males			Females			Females		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	559.6	508.3	19.1		579.4	354.4	12.9		200.4	192.3	12.1		225.2	135.6	7.9
Oral cavity and pharynx	16.8	14.6	3.2		10.8	6.7	1.8		5.0	4.2	1.7		2.0	1.2	0.8
Esophagus	8.8	7.9	2.4		6.2	3.8	1.3		6.6	6.3	2.2		3.4	2.1	1.0
Stomach	15.2	14.7	3.4		15.0	9.1	2.1		9.0	8.9	2.7		9.4	5.6	1.6
Colorectal	64.6	61.6	6.8		75.0	45.3	4.6		23.8	23.3	4.3		23.4	14.1	2.6
Colon excluding rectum	45.4	43.6	5.8		57.4	34.6	4.0		20.0	19.8	4.0		19.8	11.8	2.3
Rectum & rectosigmoid	19.2	17.9	3.6		17.6	10.7	2.2		3.8	3.5	1.6		3.6	2.2	1.0
Liver / intrahepatic bile duct	10.8	9.4	2.5		6.8	4.2	1.4		7.2	6.6	2.2		3.2	1.9	0.9
Pancreas	13.6	12.8	3.1		17.4	10.3	2.2		10.8	10.2	2.8		14.4	8.4	1.9
Larynx	6.6	5.7	1.9		1.8	1.1	0.7		2.4	2.2	1.2		0.6	0.3	0.4
Lung and bronchus	75.8	70.1	7.2		61.4	37.1	4.2		53.2	50.1	6.1		42.0	25.2	3.4
Melanoma of the skin	3.4	3.2	1.5		2.0	1.2	0.8		0.6	0.7	0.8		1.0	0.6	0.5
Female breast					169.6	104.9	7.1						48.6	29.5	3.7
Cervix uteri					20.6	13.1	2.5						6.4	4.0	1.4
Corpus uterus and NOS					41.2	25.1	3.4						10.0	6.1	1.7
Ovary					22.0	13.5	2.5						9.0	5.4	1.6
Prostate	221.4	200.6	12.0						34.0	35.2	5.4				
Testis	3.2	2.3	1.2						0.4	0.4	0.5				
Urinary bladder (incl. in situ)	18.0	17.7	3.7		9.6	5.7	1.6		4.6	4.6	1.9		4.2	2.5	1.1
Kidney and renal pelvis	13.2	12.0	3.0		10.2	6.2	1.7		4.2	4.1	1.8		1.6	1.0	0.7
Brain and other nervous system	8.4	7.2	2.2		5.6	3.6	1.3		3.0	2.6	1.3		1.8	1.2	0.8
Thyroid	3.6	2.9	1.3		13.4	8.4	2.0		0.4	0.4	0.6		1.0	0.6	0.5
Hodgkin lymphoma	3.6	2.6	1.2		2.4	1.6	0.9		0.4	0.3	0.5		1.0	0.6	0.5
Non-Hodgkin lymphomas	15.2	12.8	2.9		17.6	10.8	2.3		7.4	6.5	2.1		7.2	4.3	1.4
Multiple myeloma	11.6	10.4	2.7		12.2	7.3	1.8		3.4	3.2	1.5		6.4	3.8	1.3
Leukemias	15.2	13.2	3.0		13.0	8.0	2.0		8.2	7.8	2.4		7.6	4.6	1.5

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Queens			Incidence			Males			Mortality		
	Males	Females		Males	Females		Males	Females		Males	Females	
All Invasive Malignant Tumors	387.8	457.2	20.8	391.0	333.9	15.0	146.6	182.1	13.5	151.2	124.7	9.0
Oral cavity and pharynx	12.6	14.0	3.5	7.4	6.5	2.1	2.4	2.9	1.7	1.6	1.3	0.9
Esophagus	5.8	6.7	2.5	2.6	2.2	1.2	4.4	5.1	2.2	1.6	1.3	0.9
Stomach	15.2	17.8	4.1	9.0	7.5	2.2	6.6	7.9	2.8	5.6	4.7	1.8
Colorectal	53.8	65.9	8.0	46.8	38.5	5.0	17.8	22.1	4.7	18.4	14.5	3.0
Colon excluding rectum	39.0	48.0	6.9	32.0	26.3	4.1	14.6	18.5	4.3	16.2	12.7	2.8
Rectum & rectosigmoid	14.8	17.9	4.1	14.8	12.2	2.8	3.2	3.6	1.8	2.2	1.8	1.1
Liver / intrahepatic bile duct	11.8	13.2	3.4	5.4	4.6	1.7	7.4	8.5	2.8	3.6	3.0	1.4
Pancreas	9.4	11.1	3.2	10.8	8.8	2.4	8.4	10.3	3.2	7.8	6.2	2.0
Larynx	6.0	7.0	2.6	1.4	1.2	0.9	2.0	2.5	1.6	0.4	0.3	0.5
Lung and bronchus	59.6	71.9	8.3	41.6	35.1	4.8	40.4	50.4	7.1	30.4	25.1	4.0
Melanoma of the skin	6.6	7.4	2.6	9.0	7.7	2.3	2.0	2.4	1.5	2.0	1.7	1.1
Female breast				105.6	93.4	8.0				27.4	22.9	3.9
Cervix uteri				11.8	10.0	2.6				3.2	2.8	1.4
Corpus uterus and NOS				24.8	21.7	3.8				4.8	4.1	1.6
Ovary				15.4	13.5	3.0				9.2	7.9	2.3
Prostate	90.6	111.3	10.4				14.6	20.8	4.8			
Testis	5.8	4.0	1.5				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	24.4	31.3	5.7	9.2	7.3	2.1	4.6	6.8	2.8	2.8	2.2	1.1
Kidney and renal pelvis	14.0	16.0	3.8	7.4	6.2	2.0	1.6	1.8	1.3	1.2	1.0	0.8
Brain and other nervous system	5.0	5.0	2.0	3.6	3.0	1.4	3.0	3.0	1.6	1.8	1.6	1.1
Thyroid	3.0	2.9	1.6	11.8	10.2	2.7	0.2	0.3	0.5	0.8	0.6	0.6
Hodgkin lymphoma	2.8	2.6	1.4	2.6	2.1	1.2	0.8	0.8	0.9	0.0	0.0	0.0
Non-Hodgkin lymphomas	20.4	22.6	4.5	15.6	13.0	2.9	5.4	6.8	2.6	5.2	4.2	1.7
Multiple myeloma	4.2	4.8	2.1	6.8	5.6	1.9	2.8	3.6	1.9	3.8	2.9	1.3
Leukemias	11.0	12.9	3.5	10.6	9.1	2.5	6.6	7.5	2.7	4.6	3.8	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Queens			Incidence			Males			Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	571.2	491.0	18.0		670.6	409.7	14.2		219.0	189.7	11.2		243.8	138.2	8.0
Oral cavity and pharynx	15.2	13.0	2.9		7.4	4.5	1.5		3.2	2.8	1.4		2.0	1.2	0.7
Esophagus	7.4	6.3	2.0		5.0	2.8	1.1		7.4	6.3	2.0		2.6	1.4	0.8
Stomach	20.2	17.4	3.4		15.4	9.1	2.1		11.4	9.8	2.6		8.0	4.4	1.4
Colorectal	84.8	73.1	7.0		89.2	50.0	4.8		29.8	25.7	4.1		28.2	15.2	2.6
Colon excluding rectum	59.0	51.0	5.8		68.2	37.9	4.1		26.0	22.5	3.9		26.0	14.1	2.5
Rectum & rectosigmoid	25.8	22.1	3.8		21.0	12.0	2.4		3.8	3.3	1.5		2.2	1.2	0.7
Liver / intrahepatic bile duct	14.0	12.0	2.8		7.6	4.2	1.4		7.8	6.8	2.1		6.2	3.2	1.2
Pancreas	15.2	13.2	3.0		20.2	10.8	2.2		14.2	12.4	2.9		16.4	8.6	1.9
Larynx	8.2	7.1	2.2		2.4	1.5	0.8		2.2	1.9	1.1		0.6	0.3	0.3
Lung and bronchus	76.0	65.6	6.6		80.4	46.4	4.6		55.6	48.0	5.7		49.4	28.7	3.6
Melanoma of the skin	12.4	10.5	2.6		15.8	9.8	2.2		2.2	1.9	1.1		2.0	1.1	0.7
Female breast					186.2	119.9	7.8						41.8	23.9	3.3
Cervix uteri					14.0	9.8	2.3						4.6	3.0	1.2
Corpus uterus and NOS					46.0	28.9	3.8						7.8	4.4	1.4
Ovary					27.2	17.7	3.0						16.0	9.8	2.2
Prostate	142.6	122.6	9.0						20.8	18.3	3.5				
Testis	5.8	4.5	1.6						1.0	0.8	0.7				
Urinary bladder (incl. in situ)	44.0	38.2	5.1		18.8	10.5	2.2		9.8	8.6	2.4		3.2	1.6	0.8
Kidney and renal pelvis	19.4	16.5	3.3		12.8	7.6	1.9		5.0	4.3	1.7		3.2	1.7	0.8
Brain and other nervous system	8.4	7.3	2.2		7.4	4.9	1.6		4.0	3.5	1.5		4.2	2.9	1.3
Thyroid	7.0	5.9	2.0		17.4	12.6	2.7		1.0	0.9	0.8		0.4	0.2	0.2
Hodgkin lymphoma	4.4	3.6	1.5		4.0	2.9	1.3		0.2	0.2	0.3		0.4	0.3	0.4
Non-Hodgkin lymphomas	29.0	24.8	4.0		27.8	16.7	2.8		8.8	7.7	2.3		8.6	4.8	1.5
Multiple myeloma	7.2	6.3	2.0		7.4	4.4	1.5		3.4	2.9	1.4		4.4	2.4	1.1
Leukemias	14.6	12.7	2.9		14.8	9.1	2.2		8.0	6.8	2.1		10.2	6.1	1.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Rockaway			Queens			Incidence			Mortality			Mortality		
	Males			Females			Males			Females			Males		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	295.8	636.9	32.5		283.0	421.6	22.5		97.6	210.7	18.7		99.2	144.6	13.0
Oral cavity and pharynx	11.0	23.9	6.3		3.8	6.0	2.8		2.2	4.8	2.8		0.8	1.1	1.1
Esophagus	4.6	9.9	4.0		2.8	3.7	2.0		4.2	8.9	3.8		1.0	1.7	1.5
Stomach	8.2	17.8	5.5		6.2	8.2	3.0		3.4	7.5	3.6		2.2	2.9	1.8
Colorectal	31.8	68.5	10.7		39.0	53.4	7.7		11.4	24.4	6.3		12.8	17.0	4.3
Colon excluding rectum	22.4	48.1	8.9		29.4	39.7	6.6		9.6	20.6	5.8		11.6	15.3	4.1
Rectum & rectosigmoid	9.4	20.4	5.8		9.6	13.7	4.0		1.8	3.8	2.5		1.2	1.7	1.4
Liver / intrahepatic bile duct	6.8	14.8	5.0		2.2	3.1	1.8		3.8	8.3	3.7		1.8	2.6	1.7
Pancreas	8.2	17.9	5.5		10.8	14.5	4.0		6.0	13.2	4.7		6.6	9.2	3.2
Larynx	5.0	10.7	4.2		1.8	2.5	1.7		2.8	6.1	3.2		0.4	0.7	1.0
Lung and bronchus	41.4	89.2	12.2		40.4	59.4	8.3		26.8	57.9	9.8		25.2	36.4	6.5
Melanoma of the skin	6.6	14.4	4.9		6.2	9.2	3.4		1.0	2.2	1.9		1.2	1.9	1.6
Female breast					70.6	110.0	11.7						15.2	23.2	5.4
Cervix uteri					9.2	16.1	4.7						2.8	5.1	2.7
Corpus uterus and NOS					17.8	27.6	5.8						2.2	3.5	2.1
Ovary					10.4	14.9	4.2						5.4	7.4	2.9
Prostate	86.4	184.2	17.4						9.0	19.4	5.7				
Testis	0.6	1.4	1.6						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	19.0	41.3	8.3		9.2	12.7	3.8		3.4	7.5	3.6		1.6	2.1	1.5
Kidney and renal pelvis	10.2	22.2	6.1		5.4	8.2	3.1		1.8	3.8	2.5		1.8	2.8	1.8
Brain and other nervous system	3.8	7.8	3.5		4.0	6.6	3.0		2.8	5.5	2.9		1.8	2.8	1.9
Thyroid	2.8	6.0	3.2		5.8	10.2	3.8		0.4	0.9	1.2		0.4	0.4	0.6
Hodgkin lymphoma	0.6	1.2	1.4		1.0	1.8	1.6		0.2	0.4	0.8		0.0	0.0	0.0
Non-Hodgkin lymphomas	11.4	25.0	6.5		10.2	15.5	4.4		5.0	11.0	4.3		3.0	4.7	2.4
Multiple myeloma	6.4	14.0	4.8		3.0	4.5	2.3		1.4	3.2	2.3		1.2	1.7	1.4
Leukemias	6.2	13.1	4.6		5.6	8.3	3.2		1.8	3.8	2.5		2.2	3.4	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Queens	Southeast Queens			Incidence						Mortality		
	Queens			Males			Females			Males		
Site of Cancer	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	469.8	570.5	23.6	441.8	372.9	15.6	157.6	207.5	14.9	168.2	141.5	9.6
Oral cavity and pharynx	9.6	11.6	3.4	5.0	4.2	1.7	2.6	3.1	1.8	1.4	1.2	0.9
Esophagus	6.2	7.3	2.6	3.0	2.5	1.3	5.8	7.1	2.6	2.0	1.6	1.0
Stomach	13.4	17.1	4.2	11.0	9.3	2.5	6.8	9.2	3.2	6.6	5.6	1.9
Colorectal	50.6	62.9	7.9	59.4	49.6	5.6	19.8	25.1	5.1	24.0	20.0	3.6
Colon excluding rectum	37.8	47.3	6.9	45.0	37.5	4.9	18.0	22.9	4.8	21.2	17.7	3.4
Rectum & rectosigmoid	12.8	15.6	3.9	14.4	12.0	2.8	1.8	2.2	1.5	2.8	2.4	1.2
Liver / intrahepatic bile duct	6.8	7.8	2.7	4.2	3.6	1.5	7.2	8.2	2.7	4.2	3.6	1.5
Pancreas	11.0	14.3	3.9	15.0	12.6	2.8	9.2	12.4	3.7	13.2	11.0	2.7
Larynx	4.4	5.3	2.2	2.0	1.6	1.0	1.8	2.1	1.4	0.8	0.7	0.7
Lung and bronchus	51.2	65.7	8.2	50.8	42.1	5.2	39.8	52.1	7.4	32.0	26.6	4.1
Melanoma of the skin	7.8	10.8	3.5	4.2	3.5	1.5	1.6	2.4	1.7	1.0	0.8	0.7
Female breast				128.2	108.7	8.4				30.6	25.9	4.1
Cervix uteri				11.4	9.6	2.5				3.0	2.6	1.3
Corpus uterus and NOS				31.0	25.8	4.1				8.2	6.9	2.1
Ovary				15.0	12.6	2.9				7.0	5.8	1.9
Prostate	200.4	232.3	14.6				25.0	35.9	6.4			
Testis	2.2	2.4	1.4				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	20.6	27.8	5.5	8.0	6.7	2.1	3.8	5.2	2.4	0.8	0.7	0.7
Kidney and renal pelvis	12.8	15.3	3.8	8.6	7.3	2.2	2.4	3.0	1.7	2.0	1.7	1.1
Brain and other nervous system	5.2	5.9	2.3	4.6	4.0	1.6	2.2	2.3	1.4	3.2	2.7	1.3
Thyroid	2.6	3.2	1.8	12.0	10.7	2.7	0.4	0.5	0.7	0.6	0.5	0.6
Hodgkin lymphoma	2.0	2.1	1.3	3.6	3.3	1.5	0.0	0.0	0.0	0.4	0.4	0.5
Non-Hodgkin lymphomas	17.8	22.0	4.7	15.6	13.5	3.0	8.2	10.8	3.4	5.6	4.6	1.7
Multiple myeloma	7.4	8.9	2.9	9.2	7.7	2.2	3.2	4.1	2.1	3.2	2.7	1.3
Leukemias	12.0	15.0	3.9	8.4	7.2	2.2	5.4	7.2	2.8	4.6	4.0	1.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Southwest Queens			Queens			Incidence			Mortality					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	478.0	466.5	19.2		502.0	362.4	14.2		191.6	200.3	13.0		185.6	134.2	8.6
Oral cavity and pharynx	13.8	12.0	2.9		6.8	4.9	1.6		2.6	2.3	1.3		0.4	0.3	0.4
Esophagus	7.2	7.0	2.4		0.8	0.6	0.6		5.4	5.4	2.1		2.0	1.4	0.9
Stomach	15.2	15.4	3.6		11.6	8.3	2.1		8.4	8.9	2.8		7.6	5.5	1.7
Colorectal	56.6	56.0	6.7		61.8	44.8	5.0		18.8	20.4	4.2		20.6	14.9	2.9
Colon excluding rectum	36.8	37.3	5.5		45.8	33.2	4.3		15.8	17.4	3.9		19.4	14.0	2.8
Rectum & rectosigmoid	19.8	18.7	3.8		16.0	11.6	2.6		3.0	3.0	1.6		1.2	0.8	0.7
Liver / intrahepatic bile duct	12.6	11.8	3.0		5.0	3.7	1.4		9.8	10.0	2.9		4.6	3.4	1.4
Pancreas	14.4	14.9	3.5		14.0	10.1	2.4		11.4	11.6	3.1		11.2	8.1	2.1
Larynx	7.8	7.8	2.5		1.8	1.3	0.8		3.2	3.2	1.6		1.0	0.7	0.6
Lung and bronchus	71.2	72.5	7.7		57.4	41.8	4.8		55.4	57.4	6.9		37.8	27.5	3.9
Melanoma of the skin	6.0	5.7	2.1		7.8	5.6	1.8		3.2	3.3	1.7		1.8	1.3	0.9
Female breast					140.0	100.8	7.5						33.6	24.2	3.7
Cervix uteri					13.8	9.8	2.3						3.8	2.8	1.2
Corpus uterus and NOS					38.2	27.5	3.9						8.2	5.9	1.8
Ovary					20.2	14.6	2.9						12.2	8.8	2.2
Prostate	130.2	130.6	10.3						17.8	21.5	4.5				
Testis	5.4	3.8	1.5						0.6	0.5	0.5				
Urinary bladder (incl. in situ)	31.8	33.7	5.4		17.4	12.6	2.7		5.4	6.1	2.4		3.4	2.5	1.2
Kidney and renal pelvis	20.6	19.1	3.8		10.8	7.9	2.1		5.4	5.7	2.2		4.2	3.1	1.3
Brain and other nervous system	8.8	7.5	2.3		7.4	5.4	1.7		4.6	4.1	1.7		4.6	3.4	1.4
Thyroid	3.8	3.1	1.4		15.6	10.9	2.4		0.6	0.8	0.9		0.6	0.4	0.5
Hodgkin lymphoma	4.0	2.8	1.3		3.0	2.2	1.1		0.6	0.6	0.7		0.2	0.1	0.3
Non-Hodgkin lymphomas	20.6	17.7	3.5		16.8	12.3	2.6		10.0	9.6	2.7		5.8	4.2	1.5
Multiple myeloma	6.0	5.3	2.0		6.4	4.6	1.6		2.8	2.9	1.6		2.6	1.8	1.0
Leukemias	11.0	10.4	2.9		11.0	7.8	2.1		6.2	6.4	2.3		4.8	3.5	1.4

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	West Queens				Queens				Incidence				Mortality			
	Males				Females				Males				Females			
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	768.6	441.4	14.4		780.6	328.9	10.4		284.0	175.5	9.4		285.6	119.3	6.2	
Oral cavity and pharynx	21.4	11.3	2.2		9.0	3.8	1.1		5.0	2.7	1.1		2.2	0.9	0.6	
Esophagus	11.2	6.9	1.9		4.0	1.7	0.7		7.2	4.4	1.5		3.0	1.2	0.6	
Stomach	31.4	18.1	2.9		22.4	9.4	1.7		14.6	9.0	2.1		13.0	5.4	1.3	
Colorectal	103.6	61.4	5.4		102.0	42.5	3.7		34.0	21.2	3.3		32.2	13.4	2.1	
Colon excluding rectum	67.4	40.5	4.4		71.4	29.7	3.1		29.2	18.4	3.1		28.0	11.7	1.9	
Rectum & rectosigmoid	36.2	20.9	3.1		30.6	12.8	2.0		4.8	2.8	1.2		4.2	1.7	0.8	
Liver / intrahepatic bile duct	24.0	12.8	2.4		10.8	4.5	1.2		16.4	9.1	2.0		7.8	3.3	1.0	
Pancreas	20.8	12.6	2.5		23.8	9.9	1.8		16.2	9.7	2.2		18.0	7.4	1.5	
Larynx	11.8	6.9	1.8		1.4	0.6	0.4		4.4	2.8	1.2		0.2	0.1	0.2	
Lung and bronchus	110.0	65.6	5.6		77.0	32.5	3.2		79.2	48.9	4.9		57.4	24.0	2.8	
Melanoma of the skin	10.4	5.9	1.6		11.2	4.7	1.2		3.2	2.0	1.0		3.6	1.5	0.7	
Female breast					226.6	96.4	5.6						50.8	21.3	2.6	
Cervix uteri					20.2	8.5	1.7						6.0	2.6	0.9	
Corpus uterus and NOS					44.8	18.9	2.5						7.8	3.2	1.0	
Ovary					34.4	14.5	2.2						17.6	7.4	1.6	
Prostate	199.6	118.1	7.5						29.4	21.5	3.5					
Testis	9.4	3.6	1.1						0.4	0.2	0.3					
Urinary bladder (incl. in situ)	40.0	25.7	3.6		17.6	7.4	1.5		9.4	6.5	1.9		4.0	1.6	0.7	
Kidney and renal pelvis	23.2	12.7	2.4		13.4	5.6	1.4		5.0	2.6	1.1		3.2	1.3	0.7	
Brain and other nervous system	12.2	6.0	1.6		14.0	5.8	1.4		6.4	3.6	1.3		7.2	3.0	1.0	
Thyroid	5.2	2.2	0.9		30.4	12.9	2.1		0.6	0.3	0.4		1.0	0.4	0.4	
Hodgkin lymphoma	7.8	3.2	1.0		4.0	1.7	0.8		0.2	0.1	0.2		0.2	0.1	0.2	
Non-Hodgkin lymphomas	36.8	18.9	2.8		29.8	12.5	2.0		13.8	7.9	1.9		9.8	4.1	1.1	
Multiple myeloma	7.6	4.6	1.5		9.2	3.9	1.1		3.2	1.9	0.9		4.6	1.9	0.8	
Leukemias	24.4	13.1	2.4		17.0	7.2	1.5		11.0	6.4	1.8		10.0	4.1	1.2	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

***Richmond (Staten Island)***

Site of Cancer	Males			Incidence			Males			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	1140.4	604.6	16.1	1088.6	435.7	11.6	405.6	230.6	10.3	428.0	168.9	7.2
Oral cavity and pharynx	25.6	12.9	2.3	14.2	5.6	1.3	4.2	2.4	1.1	3.0	1.2	0.6
Esophagus	10.4	5.6	1.5	3.2	1.3	0.6	10.4	5.6	1.6	2.8	1.1	0.6
Stomach	23.0	12.6	2.4	19.0	7.5	1.5	9.4	5.0	1.5	9.2	3.6	1.0
Colorectal	138.0	75.8	5.8	129.2	50.9	3.9	50.4	29.8	3.8	50.4	19.6	2.4
Colon excluding rectum	96.0	53.4	4.9	100.0	39.4	3.5	42.4	24.9	3.4	44.2	17.2	2.3
Rectum & rectosigmoid	42.0	22.5	3.1	29.2	11.5	1.9	8.0	4.9	1.6	6.2	2.4	0.8
Liver / intrahepatic bile duct	23.0	11.9	2.2	9.2	3.6	1.0	17.6	9.4	2.0	9.6	3.8	1.1
Pancreas	30.6	16.4	2.7	32.8	12.8	2.0	28.2	15.4	2.6	29.0	11.3	1.8
Larynx	16.2	8.0	1.8	5.2	2.1	0.8	6.0	3.3	1.2	1.4	0.6	0.4
Lung and bronchus	172.0	92.5	6.3	143.6	57.5	4.2	131.2	72.4	5.7	106.2	42.3	3.6
Melanoma of the skin	25.8	13.0	2.3	22.4	9.0	1.7	4.4	2.1	0.9	4.6	1.9	0.8
Female breast				316.4	127.1	6.3				76.0	30.0	3.0
Cervix uteri				21.4	8.7	1.6				5.6	2.3	0.8
Corpus uterus and NOS				66.8	26.7	2.9				12.8	5.0	1.2
Ovary				37.0	14.9	2.1				25.2	10.0	1.8
Prostate	327.4	172.7	8.5				37.8	25.4	3.7			
Testis	16.4	7.4	1.6				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	83.2	47.5	4.7	30.0	11.9	1.9	15.2	9.5	2.2	7.8	3.0	1.0
Kidney and renal pelvis	45.0	22.4	3.0	23.8	9.6	1.7	9.4	5.3	1.6	6.0	2.4	0.8
Brain and other nervous system	15.6	7.7	1.7	14.0	5.8	1.4	7.8	3.9	1.2	5.8	2.3	0.9
Thyroid	11.6	5.3	1.4	30.6	12.5	2.0	0.4	0.2	0.2	1.4	0.5	0.4
Hodgkin lymphoma	7.0	3.3	1.1	10.2	4.3	1.2	0.6	0.3	0.3	0.6	0.2	0.3
Non-Hodgkin lymphomas	54.4	28.1	3.4	44.0	17.7	2.3	18.2	9.9	2.1	14.2	5.7	1.3
Multiple myeloma	12.8	7.2	1.8	14.0	5.5	1.3	4.4	2.5	1.1	8.0	3.1	1.0
Leukemias	29.6	15.6	2.6	27.2	10.9	1.8	13.8	7.6	1.9	13.2	5.2	1.3

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Incidence			Mortality								
	Richmond (Staten Island)		Males	Females	Males	Females						
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Cases	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	143.8	665.3	49.6	136.8	459.0	34.5	54.6	266.6	32.3	56.0	187.0	22.0
Oral cavity and pharynx	2.6	11.9	6.6	2.4	7.9	4.5	0.6	2.9	3.3	0.6	2.1	2.3
Esophagus	1.8	7.6	5.0	0.2	0.7	1.3	1.2	6.1	4.9	0.6	2.0	2.3
Stomach	4.0	18.9	8.4	2.6	8.5	4.7	1.2	4.9	3.9	1.8	6.0	4.0
Colorectal	18.2	88.9	18.6	15.6	51.9	11.5	9.6	48.3	13.9	6.2	20.7	7.3
Colon excluding rectum	12.8	63.6	15.9	12.4	41.2	10.3	7.6	38.0	12.3	5.2	17.4	6.7
Rectum & rectosigmoid	5.4	25.2	9.8	3.2	10.7	5.3	2.0	10.3	6.5	1.0	3.3	2.9
Liver / intrahepatic bile duct	2.4	11.2	6.4	1.4	4.5	3.4	1.6	7.1	5.0	1.4	4.6	3.4
Pancreas	3.4	15.4	7.5	3.8	12.5	5.6	3.4	16.2	7.9	4.0	13.2	5.8
Larynx	2.2	9.9	6.0	0.2	0.8	1.5	0.6	3.1	3.6	0.0	0.0	0.0
Lung and bronchus	24.6	116.6	21.0	19.0	63.7	12.8	17.4	83.9	18.0	14.4	48.2	11.2
Melanoma of the skin	3.0	13.9	7.2	2.6	8.4	4.6	0.4	1.4	2.0	0.6	2.0	2.3
Female breast				36.8	124.7	18.0				8.6	28.4	8.5
Cervix uteri				3.6	12.0	5.6				0.4	1.3	1.9
Corpus uterus and NOS				10.0	33.9	9.4				2.0	6.7	4.1
Ovary				4.8	16.6	6.7				3.4	12.0	5.7
Prostate	38.8	181.8	25.9				4.8	26.6	10.7			
Testis	3.0	10.2	5.1				0.0	0.0	0.0			
Urinary bladder (incl. in situ)	7.8	39.7	12.7	2.8	9.5	5.0	2.4	12.8	7.4	1.2	4.0	3.2
Kidney and renal pelvis	5.6	23.9	9.0	3.2	11.1	5.4	1.0	4.4	3.9	0.2	0.6	1.2
Brain and other nervous system	2.4	9.1	5.3	2.2	7.3	4.3	1.0	3.7	3.3	0.6	2.1	2.4
Thyroid	1.2	4.9	3.9	3.8	12.3	5.6	0.0	0.0	0.0	0.0	0.0	0.0
Hodgkin lymphoma	1.2	4.6	3.7	1.2	3.8	3.0	0.0	0.0	0.0	0.2	0.6	1.2
Non-Hodgkin lymphomas	6.6	29.3	10.3	5.0	16.6	6.5	2.4	10.4	6.1	2.4	8.1	4.6
Multiple myeloma	2.2	11.2	6.7	1.0	3.2	2.8	0.6	3.2	3.7	0.8	2.7	2.6
Leukemias	3.6	15.6	7.4	3.8	12.6	5.7	1.4	6.7	5.1	1.8	5.7	3.7

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	South Beach - Tottenville			Incidence			Mortality			Richmond (Staten Island)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	476.4	610.3	25.7		448.6	442.2	18.4		150.8	212.3	16.0		169.0	167.7	11.3
Oral cavity and pharynx	10.4	12.3	3.5		6.0	5.8	2.1		2.0	3.0	2.0		1.2	1.2	1.0
Esophagus	4.0	5.4	2.5		1.2	1.2	1.0		4.2	4.9	2.1		0.8	0.8	0.8
Stomach	9.6	14.2	4.3		7.0	7.0	2.3		3.0	4.6	2.5		3.0	3.0	1.5
Colorectal	60.4	80.3	9.6		54.4	54.7	6.5		17.4	25.0	5.5		20.8	21.0	4.0
Colon excluding rectum	40.0	54.0	7.9		41.6	41.9	5.7		14.4	20.5	5.0		17.8	18.0	3.7
Rectum & rectosigmoid	20.4	26.3	5.4		12.8	12.8	3.1		3.0	4.5	2.4		3.0	3.0	1.5
Liver / intrahepatic bile duct	7.4	9.3	3.1		2.8	2.8	1.5		5.6	7.6	2.9		3.2	3.3	1.6
Pancreas	13.0	16.8	4.3		12.8	12.7	3.1		10.4	13.1	3.7		11.4	11.4	3.0
Larynx	6.2	8.1	3.1		2.6	2.5	1.4		1.8	2.8	1.9		0.2	0.2	0.4
Lung and bronchus	69.4	89.8	9.9		58.0	56.7	6.5		49.2	66.5	8.7		42.6	41.9	5.6
Melanoma of the skin	12.6	14.7	3.7		9.8	9.6	2.7		1.6	1.8	1.3		2.0	1.9	1.2
Female breast					134.4	131.3	10.0						30.6	30.0	4.8
Cervix uteri					5.8	5.8	2.1						2.0	2.0	1.2
Corpus uterus and NOS					24.2	23.4	4.2						4.6	4.6	1.9
Ovary					16.2	15.9	3.5						9.0	8.8	2.6
Prostate	133.0	167.7	13.3						13.8	24.8	6.2				
Testis	7.2	7.8	2.5						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	39.0	54.4	8.1		14.2	13.8	3.2		5.2	8.2	3.4		2.8	2.8	1.5
Kidney and renal pelvis	20.2	24.0	4.8		11.0	11.0	2.9		3.6	4.9	2.4		3.0	3.0	1.5
Brain and other nervous system	7.0	8.5	2.9		5.8	5.9	2.2		3.6	4.3	2.1		2.2	2.1	1.3
Thyroid	5.6	6.2	2.3		14.2	14.1	3.3		0.0	0.0	0.0		0.8	0.8	0.8
Hodgkin lymphoma	2.2	2.4	1.5		4.8	5.0	2.0		0.2	0.2	0.4		0.2	0.2	0.3
Non-Hodgkin lymphomas	23.0	28.7	5.5		19.8	19.6	3.9		6.6	9.1	3.3		5.8	6.0	2.2
Multiple myeloma	5.2	7.0	2.8		4.8	4.7	1.9		2.2	3.3	2.0		3.4	3.5	1.7
Leukemias	13.0	16.7	4.2		10.8	10.9	2.9		6.4	8.2	3.0		5.6	5.5	2.0

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Stapleton - St. George			Incidence			Mortality			Richmond (Staten Island)					
	Males			Females			Males			Females					
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)
All Invasive Malignant Tumors	294.0	596.7	30.9		274.6	410.0	21.9		112.4	239.5	20.1		111.2	161.0	13.5
Oral cavity and pharynx	9.2	18.2	5.3		3.8	5.8	2.6		1.2	2.6	2.1		0.6	0.8	1.0
Esophagus	3.4	7.0	3.4		1.2	1.8	1.5		3.0	6.4	3.3		1.2	1.9	1.5
Stomach	5.2	10.2	4.0		5.2	7.6	2.9		3.6	7.0	3.3		3.4	4.8	2.3
Colorectal	32.4	67.4	10.5		32.0	44.4	7.0		12.8	27.8	6.9		11.6	15.5	4.1
Colon excluding rectum	22.8	47.8	8.9		24.8	34.1	6.1		11.4	24.4	6.4		10.4	13.8	3.8
Rectum & rectosigmoid	9.6	19.6	5.6		7.2	10.3	3.4		1.4	3.3	2.5		1.2	1.7	1.4
Liver / intrahepatic bile duct	8.4	16.5	5.0		2.2	3.2	1.9		7.2	14.3	4.7		2.4	3.5	2.0
Pancreas	9.6	19.9	5.7		9.4	13.3	3.8		8.4	17.6	5.4		7.4	10.3	3.4
Larynx	4.4	8.1	3.4		1.2	1.7	1.4		1.8	3.5	2.3		0.6	1.0	1.1
Lung and bronchus	44.4	92.3	12.3		35.4	53.1	7.9		35.6	74.7	11.1		27.4	40.5	6.8
Melanoma of the skin	4.8	9.6	3.9		5.4	8.2	3.1		0.8	1.5	1.5		1.4	2.1	1.6
Female breast					78.4	119.3	11.9						20.0	29.7	5.9
Cervix uteri					7.2	11.0	3.6						2.2	3.4	2.0
Corpus uterus and NOS					17.6	26.5	5.6						2.8	3.6	1.9
Ovary					10.4	16.1	4.4						7.0	10.4	3.5
Prostate	83.6	169.9	16.4						11.4	27.2	7.1				
Testis	3.6	6.4	3.0						0.0	0.0	0.0				
Urinary bladder (incl. in situ)	18.4	40.1	8.3		6.8	9.9	3.4		4.4	10.3	4.4		1.8	2.6	1.7
Kidney and renal pelvis	10.6	20.4	5.5		5.4	7.8	3.0		1.8	4.1	2.7		1.4	1.9	1.4
Brain and other nervous system	2.8	5.2	2.8		3.0	4.7	2.4		0.6	1.2	1.4		1.2	1.8	1.5
Thyroid	2.0	3.5	2.2		4.2	6.7	2.9		0.2	0.4	0.7		0.2	0.3	0.6
Hodgkin lymphoma	2.4	4.5	2.6		2.4	4.0	2.2		0.0	0.0	0.0		0.0	0.0	0.0
Non-Hodgkin lymphomas	14.6	28.0	6.5		11.0	16.8	4.5		5.4	10.8	4.1		3.2	4.6	2.3
Multiple myeloma	3.4	7.4	3.6		4.8	7.0	2.8		0.6	1.2	1.4		1.6	2.3	1.6
Leukemias	8.8	17.7	5.3		6.8	10.0	3.4		3.4	7.2	3.5		4.2	5.9	2.6

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006. Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.

New York State Department of Health, New York State Cancer Registry Cancer Incidence and Mortality by United Hospital Fund Neighborhood and Gender, 1999-2003

Site of Cancer	Willowbrook			Richmond (Staten Island)			Incidence			Mortality		
	Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Cases	Rate per 100,000	95% CI (+/-)		Avg Ann Deaths	Rate per 100,000	95% CI (+/-)	
All Invasive Malignant Tumors	226.2	568.0	33.8		228.4	428.2	25.1		82.6	221.5	21.9	
Oral cavity and pharynx	3.4	8.0	3.8		2.0	3.4	2.1		0.4	1.0	1.5	
Esophagus	1.2	3.0	2.4		0.6	1.2	1.3		2.0	5.2	3.3	
Stomach	4.2	10.8	4.7		4.2	7.6	3.3		1.6	3.9	2.8	
Colorectal	27.0	69.9	12.1		27.2	48.9	8.3		10.4	30.0	8.4	
Colon excluding rectum	20.4	52.7	10.5		21.2	38.3	7.4		9.0	25.9	7.7	
Rectum & rectosigmoid	6.6	17.2	6.0		6.0	10.6	3.8		1.4	4.1	3.1	
Liver / intrahepatic bile duct	4.8	11.7	4.8		2.8	5.1	2.7		2.8	7.1	3.8	
Pancreas	4.6	12.0	5.0		6.8	12.1	4.1		6.0	15.8	5.8	
Larynx	3.4	7.8	3.8		1.2	2.4	1.9		1.6	4.1	2.9	
Lung and bronchus	33.6	83.7	13.0		31.2	59.2	9.3		27.4	71.3	12.2	
Melanoma of the skin	5.4	13.0	5.0		4.6	8.9	3.7		1.4	3.5	2.7	
Female breast					66.8	126.4	13.7				16.0	28.7
Cervix uteri					4.8	9.2	3.7				1.0	2.0
Corpus uterus and NOS					15.0	28.6	6.5				3.2	5.8
Ovary					5.6	10.5	3.9				5.8	10.7
Prostate	72.0	180.3	19.0						7.2	22.0	7.3	
Testis	2.6	6.1	3.3						0.0	0.0	0.0	
Urinary bladder (incl. in situ)	18.0	47.5	10.0		6.0	10.8	3.9		3.2	8.9	4.4	
Kidney and renal pelvis	8.6	20.6	6.3		4.2	8.0	3.4		2.6	7.0	3.9	
Brain and other nervous system	3.4	8.3	4.0		3.0	5.8	2.9		2.4	6.1	3.5	
Thyroid	2.8	6.2	3.3		8.4	17.2	5.2		0.2	0.4	0.7	
Hodgkin lymphoma	1.2	2.7	2.2		1.8	3.6	2.4		0.4	1.0	1.4	
Non-Hodgkin lymphomas	10.2	26.3	7.4		8.2	15.6	4.8		3.4	9.0	4.4	
Multiple myeloma	2.0	5.1	3.3		3.4	6.0	2.9		1.0	2.6	2.4	
Leukemias	4.2	10.8	4.7		5.8	10.7	3.9		2.6	6.9	3.9	

Rates are per 100,000 persons, age-adjusted to the 2000 US standard population, with 95% confidence intervals. Incidence data provisional, January 2006.  
 Rates based on fewer than 4 cases or deaths per year are unstable and should be used with caution. NOS=Not otherwise specified.